

W-188 PRINCIPAL PUBLICATIONS (published or in press)

- Abbaspour, K. C., M. Th. van Genuchten, R. Schulin, and E. Schläppi. 1997. A sequential uncertainty domain inverse procedure for estimating subsurface flow and transport parameters. *Water Resour. Res.* 33(8):1879-1892.
- Abbaspour, K. C., R. Schulin, M. Th. van Genuchten, and E. Schläppi. 1997. Application of a risk analysis algorithm to a landfill in Switzerland. In: V. Pawlowsky-Glahn (ed.), *Proceedings of IAMG '97*, p. 911-916, CIMNE, Barcelona, Spain.
- Abbaspour, K. C., R. Schulin, M. Th. van Genuchten, and E. Schläppi. 1998. An alternative to co-kriging for situations with small sample sizes. *Math. Geol.* 30(3): 291-306.
- Abbaspour, K. C., R. Schulin, M. Th. van Genuchten, and E. Schläppi. 1998. Procedures for uncertainty analyses applied to a landfill leachate plume. *Ground Water* 36(6):874-883.
- Abreu, J. P., and G. S. Campbell. 1996. Simulation of weather variables. *Anais Inst. Super. Agron.* 45:163-189.
- Abreu, J. P., A. Castro Ribeiro and G. S. Campbell. 1997. Modelo de intercepcao da radiacao coberto de uma cultura com senescencia: um exemplo com a cultura do trigo. in VIII Congresso Iberico de Energia Solar, International Solar Energy Society.
- Abreu, J. P., F. M. Abreu and G. S. Campbell. 1994. Assimilate partitioning in spring wheat under Mediterranean conditions. In: J. L. Monteith, R. K. Scott, and M. H. Unsworth. *Resource Capture by Crops*. Nottingham University Press, Nottingham.
- Achanta, S. and J.H. Cushman. 1994. Nonequilibrium swelling and capillary pressure relations for colloidal systems. *J. Colloid Interface Sci.* 168(1):266-268.
- Achanta, S., J.H. Cushman, M.R. Okos. 1994. On multiphase, multicomponent thermomechanics with interfaces. *Int. J. Engineering Science* 32(11):1717-1738.
- Achanta, S., M. Okos, J.H. Cushman and D. Kessler. 1997. Moisture transport in shrinking gels during saturated drying. *AIChE J.* 43(8):2112-2122.
- Ahuja, L. R., K. E. Johnson, and G. C. Heathman. 1995a. Macropore transport of a surface-applied bromide tracer: model evaluation and refinement. *Soil Sci. Soc. Am. J.* 59:1234-1241.
- Albertson J.D. and M.B. Parlange, A large eddy simulation of the neutral atmospheric boundary layer over patchy terrain. *Water Resources Research.* (in press).
- Albertson, G. Kiely and M.B. Parlange, 1996, Surface fluxes of momentum, heat and water vapor. In: *Radiation and Water in the Climate System: Remote Measurements*, (E. Raschke, ed., NATO ASI Series 1: Global Environmental Change, Springer-Verlag pp. 82.
- Albertson, J. D., G. Kiely, M. B. Parlange and W. E. Eichinger. 1996. The average dissipation rate of turbulent kinetic energy in the neutral and unstable atmospheric surface layer, *J. of Geophysical Research-Atm.*, (in press).
- Albertson, J.D., and M.B. Parlange, 1999, The integrative power of the atmospheric boundary layer over complex terrain. *Advances in Water Resources* (in press).
- Albertson, J.D., G.G. Katul, M.B. Parlange, and W.E. Eichinger, 1998, Spectral scaling of static pressure fluctuations in the atmospheric surface layer: the interaction between large and small scales, *Physics of Fluids*, 10:1725-1732.

- Albertson, J.D., M.B. Parlange, G.G. Katul, C.R. Chu, H. Stricker and S. Tyler. 1995. Sensible heat flux estimates using flux variance methods, *Water Resour. Res.* 31:2743-2749.
- Albertson, J.D., M.B. Parlange, G. Kiely, and W.E. Eichinger, 1997, The average dissipation rate of turbulent kinetic energy in the neutral and unstable atmospheric surface layer, *J. Geophysical Research - Atm.*, 102(D12):13,423-13,432.
- Albertson, J.D., M.B. Parlange, G.G. Katul, C.R. Chu, H. Stricker and S. Tyler. 1995. Sensible heat flux estimates using flux variance methods, *Water Resour. Res.*, 31(4):969-974.
- Albright, W., S.W. Tyler and S. Hokett. 1996. Analysis of shallow soil moisture flux adjacent to the Area 5 RWMS. Desert Research Institute, *Publ. No. 45150*. 48 pp.
- Albus, W. L. and R. E. Knighton. 1995. The effects of a ridge-till corn-soybean rotation vs. mulch-till continuous corn on ground water quality in Southeastern ND. *J. Prod. Ag.* (accepted).
- Albus, W. L. and R. E. Knighton. 1997. Water quality in a sand plain after conversion from dryland to irrigation: tillage and cropping systems compared. *Soil Tillage Res.* (accepted).
- Albus, W. L. and R. E. Knighton. 1997. Nitrogen rate and environmental effects on irrigated corn yield. *In: Proc. USCID Conference on Best Management Practices for Irrigated Agriculture and the Environment*. Fargo, ND, July 16-19, 1997.
- Albus, W. L. and R. E. Knighton. 1996. North Dakota Northern Cornbelt Sand Plains Management Systems Evaluation Area. Report Period 1992-93. Dep. Soil Sci., North Dakota State Univ., Fargo, ND.
- Allison, G. B., G. W. Gee, and S. W. Tyler. 1994. A review of vadose zone techniques for estimating ground water recharge. *Soil Sci. Soc. Am. J.* 58:6-14.
- Allmaras, R. R., S. A. Clay, D. F. Hughes, R. Kanwar, R. E. Knighton, J. A. Lamb, B. Lowery, and S. E. Workman. 1995. Ridge-tillage systems and water quality in MSEA studies. p. 5-7. *In Proc. Clean Water-Clean Environment-21st Century*. Vol. III: Practices, Systems & Adoption. March 5-8, 1995, Kansas City, MO. ASAE, St. Joseph, MI.
- Amali, S., D.E. Rolston and T. Yamaguchi. 1996. Transient multicomponent gas-phase transport of volatile organic chemicals in porous media. *J. Environ. Qual.* 25(5):1041-1047.
- Amali, S., D.E. Rolston, A.E. Fulton, B.R. Hanson, C.J. Phene, and J.D. Oster. 1997. Soil water variability under subsurface drip and furrow irrigation. *Irrigation Sci.* 17:151-155.
- Amali, S., L.W. Petersen, and D.E. Rolston. 1994. Modeling multicomponent volatile organic and water vapor adsorption on soils. *J. of Hazardous Materials* 36:89-108.
- Anderson, S. E., and J. W. Hopmans (eds.). 1994. *Tomography of Soil-Water-Root Processes*, SSSA Special Publ. 36, *Soil Sci. Soc. Am.*, Madison, WI
- Andreu, L., J.W. Hopmans and L.J. Schwankl. 1997. Spatial and temporal distribution of soil water balance for a drip-irrigated almond tree. *Agricultural Water Management* 35:123-146.
- Annandale, J. G., and G. S. Campbell. 1995. Modeling the soil water balance under microirrigation. pp. 840-841 in *Proceedings of the 5th International Microirrigation Congress*, F. R. Lamm, ed. *Am. Soc. Agric. Eng.*, St. Joseph, MO.
- Arya, L. M., F. J. Leij, M. Th. van Genuchten, and P. J. Shouse. 1999. Scaling parameters to predict the soil water retention characteristic from particle-size distribution data. *Soil Sci. Soc. Am. J.* (in press).

- Arya, L. M., T. S. Dierolf, A. Sofyan, I. P. G. Widjaja-Adhi, and M. Th. van Genuchten. Field measurement of saturated hydraulic conductivity in a macroporous soil with unstable subsoil structure. *Soil Sci.* 169(11):841-858.
- Asseng, S., L. A. G. Aylmore, J. S. MacFall, and J. W. Hopmans. 1997. Application of x-ray computer tomography and magnetic resonance imaging. IN: B.Smit and S. van de Geijn (Eds.), *Handbook for root research methodologies*. (in press).
- Azevedo, A. S., R. S. Kanwar, and R. Horton. 1998. Effect of cultivation on hydraulic properties of an Iowa soil using tension infiltrometers. *Soil Sci.* 163:22-29.
- Baker, R. S., G. W. Gee, and C. Rosensweig (eds.). 1994. *Soil and Water Science: Key to Understanding Our Global Environment*. 103 pp. SSSA Special Publication Number 41. Soil Sci. Soc. Am. Inc, Madison, WI.
- Bakhsh, A., Colvin, T.S., Jaynes, D.B., Kanwar, R.S., and Tim, U.S. 1997. Spatial distribution of soil attributes affecting crop yield. ASAE Paper No. 97-1032.
- Bakhsh, A., D. B. Jaynes, T. S. Colvin, and R. S. Kanwar. 1998. Spatiotemporal yield variability analysis for a corn-soybean field in Iowa. ASAE Paper No. 98-1049.
- Bali, K., M.E. Grismer and J. W. Hopmans. 1996. Outflow methods for evaluating the soil hydraulic relationships between NAPL pressure data in porous media. IN: Volatile Organic Compounds in the Environment
- Beaver, J. N., B. E. Olson, and J. M. Wraith. 1996. A simple index of standard operative temperature for mule deer and cattle in winter. *J. Thermal Biol.* 21:345-352.
- Ben-Asher, J., G.E. Cardon, D. Peters, D.E. Rolston, C.J. Phene, J.W. Biggar, and R.B. Hutmacher. 1994. Determining almond root zone from surface carbon dioxide fluxes. *Soil Sci. Soc. Am. J.* 58:930-934.
- Ben-Asher, J., G.E. Cardon, D. Peters, D.E. Rolston, J.W. Biggar, C.J. Phene, and J.E. Ephraim. 1994. Determining root activity distribution by measuring surface carbon dioxide fluxes. *Soil Sci. Soc. Am. J.* 58:926-930.
- Benjamin, J. G., H. R. Havis, L. R. Ahuja, and C. V. Alonso. 1994. Leaching and Water Flow Patterns in Every-furrow and Alternate-Furrow Irrigation. *Soil Sci. Soc. Am. J.* 58:1511-1517.
- Bennethum, L.S. and J.H. Cushman. 1996. Multiscale hybrid mixture theory for swelling systems. Part I: Balance laws. *Int. J. Eng. Sci.* 34(2):125-145.
- Bennethum, L.S. and J.H. Cushman. 1996. Multiscale hybrid mixture theory for swelling systems. Part II: Constitutive theory. *Int. J. Eng. Sci.* 34(2):147-169.
- Bennethum, L.S. and J.H. Cushman. 1998. Moisture and heat transport in an unsaturated swelling porous medium: A parallel-flow, multiscale, mixture theoretic approach. *Trans. Porous Media* (in press).
- Bennethum, L.S., M. Murad and J.H. Cushman. 1996. Clarifying mixture theory and the macroscale chemical potential for porous media. *Int. J. Eng. Sci.* 34(4):1611-1621.
- Bennethum, L.S., M. Murad, and J.H. Cushman. 1997. Modified Darcy's law, Fick's law, and Terzaghi's effective stress principle for swelling clay soils. *J. Computers in Geotechniques* 20(3/4):245-266.

- Berkowitz, B. and R. P. Ewing. 1998. Percolation theory and network modeling applications in soil physics. *Surveys in Geophysics* 19 (1) 23-72.
- Bilskie, J. R., R. Horton, and K. L. Bristow. 1998. Test of a dual-probe heat-pulse method for determining thermal properties of porous materials. *Soil Sci.* 163:346-355.
- Bland, W. L., J. M. Norman, G. S. Campbell, C. Calissendorff, and E. E. Millere. 1995. A transiently heated needle anemometer. *Agric. For. Meteorol.* 74:227-235.
- Borchers, B., T. Uram, and J.M.H. Hendrickx. 1997. Tikhonov regularization for determination of depth profiles of electrical conductivity using non-invasive electromagnetic induction measurements. *Soil Sci. Soc. Am. J.* 61:1004-1009.
- Bradford, S. A. and F. J. Leij. 1995. Fractional wettability effects on two- and three-fluid capillary pressure-saturation relations. *J. Contam. Hydrol.* 20:89-109.
- Bradford, S. A. and F. J. Leij. 1995. Wettability effects on scaling two- and three-fluid capillary pressure-saturation relations. *Env. Sci. Techn.* 29(6):1446-1455.
- Bradford, S., F. J. Leij, J. W. Hopmans, P. J. Shouse, and M. Th. van Genuchten. 1995. Retention and permeability of multi-fluid soil systems. In: A. C. Chang (ed.), *Annual Reports of the Kearney Foundation of Soil Science*, University of California, pp. 245-267.
- Bradford, S.A., and F. J. Leij. 1996. Predicting two- and three-fluid capillary pressure-saturation relationships in mixed wettability media. *Water Resour. Res.* 32(2):251-259.
- Bradford, S.A., and F. J. Leij. 1997. Estimating interfacial areas for multi-fluid soil systems. *J. Contam. Hydrol.* 27:83-105.
- Bristow, K. L. and R. Horton. 1996. Modeling the impact of partial surface mulch on soil heat and water flow. *Theor. Appl. Climatol.* 54: 85-98.
- Bristow, K. L., G. J. Kluitenberg, and R. Horton. 1994. Measurement of soil thermal properties with a dual-probe heat-pulse technique. *Soil Sci. Soc. Am. J.* 58:1288-1294.
- Bristow, K. L., J. R. Bilskie, G. J. Kluitenberg, and R. Horton. 1995. Comparison of techniques for extracting soil thermal properties from dual-probe heat-pulse data. *Soil Sci.* 160:1-7.
- Bristow, K. L., R. D. White, and G. J. Kluitenberg. 1994. Comparison of single and dual probes for measuring soil thermal properties with transient heating. *Aust. J. Soil Res.* 32:447-464.
- Brutsaert, W. and M.B. Parlange. 1996. The relative merits of surface layer and bulk similarity formulations for surface shear stress, *J. Geophysical Research - Atm.* D23:29,585-29,589.
- Brutsaert, W. and M.B. Parlange. 1998. Hydrologic Cycle explains the evaporation paradox. *Nature* 396(Nov. 5):30.
- Buchleiter, G. W., Farahani, H. J. and L. R. Ahuja. 1995. Model evaluation of ground water contamination under center pivot irrigated corn in eastern Colorado. Proceeding of the International Symposium on Water Quality Modeling. ASAE. Apr. 2-5, Kissimmee, FL.
- Burkart, M.R., Hatfield, J., and Jaynes, D.B. 1997. Overview of hydrologic investigations in the Walnut Creek watershed. p. 3-6. In W.W. Simpkins and M.R. Burkart (ed.) Hydrogeology and water quality of the Walnut Creek watershed. *US Geological Survey, No. 20.*
- Burkart, M.R., J. L. Hatfield, and D. B. Jaynes. 1996. An overview of hydrologic investigations in the Walnut Creek watershed. In: Simpkins, W.W. and Burkart, M.R. (eds.), *Hydrology and*

- water quality of the Walnut Creek Watershed. Geological Survey Bureau Guidebook Series No. 20. Iowa Dept. of Natural Resources.*
- Busby, Robert D., Lenhard, Robert J. and Rolston, Dennis E. 1995. An investigation of saturation-capillary pressure relations in two- and three-fluid systems for several NAPLS in different porous media. *Ground Water* 33(4):570-578.
- Cahill, A.T. and M.B. Parlange. 1998. On water vapor flow in field soils, *Water Resour. Res.* 34(4):731-739.
- Cahill, A.T., F. Ungaro, M.B. Parlange, D.R. Nielsen and M. Mata. Combined spatial and Kalman filter estimation of optimal soil hydraulic properties. *Water Resour. Res.* (in press).
- Cahill, A.T., M.B. Parlange, T.J. Jackson, P. O'Neill, and T.J. Schmugge, Passive microwave measurements of soil moisture for evaporation, *J. of Applied Meteorology.* (in press).
- Cambardella, C.A., Colvin, T.S., Jaynes, D.B., and Karlen, D.L. 1996. Spatial variability analysis: A first step in site-specific management. p. 165-173. Proc. 8th Integrated Crop Management Conf. 19-20 Nov. 1996. Ames, IA.
- Cambardella, C.A., T.B. Moorman, D.B. Jaynes, J.L. Hatfield, T.B. Parkin, W.W. Simpkins, and D.L. Karlen. 1998. Water quality in Walnut Creek watershed: Nitrate-nitrogen in soils, subsurface drainage water and shallow groundwater. *J. Environ. Qual.* (In press).
- Campbell, G. S. and F. V. van Evert. 1994. Light interception by plant canopies: efficiency and architecture. In: J. L. Monteith, R. K. Scott, and M. H. Unsworth. *Resource Capture by Crops.* Nottingham University Press, Nottingham.
- Campbell, G. S., J. D. Jungbauer Jr., W. R. Bidlake, and R. D. Hungerford. 1994. Predicting the effect of temperature on soil thermal conductivity. *Soil Sci.* 158:307-313.
- Campbell, G. S., J. D. Jungbauer, Jr., K. L. Bristow, and R. D. Hungerford. 1995. Soil Temperature and water content beneath a surface fire. *Soil Sci.* 159:363-374.
- Casey, F. X., S. D. Logsdon, R. Horton, and D.B. Jaynes. 1997. Immobile water content and mass exchange coefficient of a field soil. *Soil Sci. Soc. Am J.* 61:1030-1036.
- Casey, F.X., S. L. Logsdon, R. Horton, and D. B. Jaynes. 1998. Measurement of field soil hydraulic and solute transport parameters. *Soil Sci. Soc. Am. J.* 62:1172-1178.
- Cassel, D. K. and D. R. Nielsen. 1994. Introduction: The realization of a dream. pp. 1-5, In: S. E Anderson and J. W. Hopmans (eds.), *Tomography of Soil-Water-Root Processes*, SSSA Special Publ. 36, Soil Sci. Soc. Am., Madison, WI.
- Cassel, D. K., O. Wendroth and D. R. Nielsen. 1997. Soil and Wheat yield variability on a renovated agricultural research station. In: Wendroth, O. and D.R. Nielsen (eds.), *Land Surface Processes - Sampling the landscape and analyzing and modeling spatio-temporal patterns.* Proc. Int'l Workshop, June 13, 1995, Center for Agricultural Landscape and Land Use Res., ZALF-Berichte No. 31, Müncheberg, Germany.
- Cassel-Sharmasarkar, F., R. Zhang, and G. F. Vance, 1996. Modeling unsaturated water flow in a three-dimensional soil system under drip irrigation. Proceeding of Sixteenth Annual American Geophysical Union, Hydrology Days. pp. 49-60. Fort Collins, CO.
- Cassel-Sharmasarkar, F., S. Sharmasarkar, R. Zhang, and G. F. Vance, 1998. Spatial analyses of soil nitrate in a drip-irrigated sugarbeet field. *Water, Air, and Soil Pollution* (in press).

- Chang, W.-L., J. W. Biggar and D. R. Nielsen. 1994. Fractal description of wetting front instability in layered soils. *Water Resour. Res.* 30(1):125-132.
- Chen, J., J.W. Hopmans and M.E. Grismer. 1999. Parameter estimation of two-fluid capillary pressure-saturation and permeability functions. *Adv. Water Resour.* (in press).
- Chen, Y., J. W. Hopmans and G. E. Gogg. 1995. Sampling design for soil moisture measurements in large field trials. *Soil Science* 159:155-161.
- Chu, C-R, M.B. Parlange, G.G. Katul, and J.D. Albertson, 1996, Probability density functions of turbulent velocity and temperature in the atmospheric surface layer, *Water Resources Research*, 32(6):1681-1688.
- Clausnitzer, V., and J. W. Hopmans. 1994. Transient three-dimensional modeling of soil water flow and root growth. *Plant and Soil* 164(2):299-314.
- Clausnitzer, V., and J.W. Hopmans. 1995. LM_OPT: General purpose optimization code, based on the Levenberg-Marquardt algorithm. *LAWR paper 100032*, University of California, Davis, CA.
- Clausnitzer, V., and J.W. Hopmans. 1999. Estimation of phase-volume fractions from tomographic measurements in two-phase systems. *Advances in Water Resources*. In Press.
- Clausnitzer, V., D.A. Heerman, J. W. Hopmans, and J. S. Stude. 1995. Noninvasive observation of pore-scale transport and plant roots with x-ray CT. In: *Vadose Zone Hydrology: Cutting Across Disciplines*. Kearney Foundation of Soil Science International Conference Proceedings, Hydrologic Science, University of California, Davis, CA.
- Clausnitzer, V., J.W. Hopmans, and J.L. Starr. 1998. Analysis of parameter estimation for infiltration models. *Soil Sci. Soc. Am. J.* (in press).
- Coelho, F. E., and D. Or. 1997. A model for soil water distribution under drip irrigation with root uptake. *Pesq. Agropec. Bras. Brasilia* (in Portuguese - in press).
- Coelho, F. E., and D. Or. 1998. Root distribution and water uptake patterns under surface and subsurface drip Irrigation. *Plant and Soil* (in press)
- Coelho, F.E. and D. Or, 1996. Flow and Uptake Patterns Affecting Soil Water Sensor Placement for Drip Irrigation Management. *Trans. ASAE* 39:2007-2016.
- Coelho, F.E., and D. Or. 1996. A Parametric Model for Two-Dimensional Water Uptake Intensity by Corn Roots Under Drip Irrigation. *Soil Sci. Soc. Am. J.* 60:1039-1049.
- Coelho, F.E., and D. Or. 1997. Applicability of Analytical Solutions for Water Flow From Point Sources to Drip Irrigation Management. *Soil Sci. Soc. Am. J.* 61:1331-1341.
- Coelho, F.E., D. Or, and C.L. Andrade. 1995. Evaluation of Steady State Regime and Sensor Placement for Determining Water Content and Matric Potential in Drip Irrigation (in Portuguese). *Pesq. Agropec. Bras. Brasilia* 30(9):000-000 (in press).
- Colvin, T.S., D.B. Jaynes, D. L. Karlen, D. A. Laird, and J.R. Ambuel. 1997. Yield variability within a central Iowa field. *Trans. Am. Soc. Agric. Eng.* 40:883-889.
- Cooper, C. A., R. J. Glass and S.W. Tyler. Experimental investigation of the stability boundary for double-diffusive convection in a Hele-Shaw cell. *Water Resources Research* (in press).
- Costa, J. L., R. E. Knighton and L. Prunty. 1994. Model comparison of unsaturated steady-state solute transport in a field plot. *Soil Sci. Soc. Am. J.*, 58:1277-1287.

- Crestana, S, P. E. Cruvinel, S. Mascarenhas, C. M. P. Vaz, J. M. Naime, R. Casereo, D. R. Nielsen and K. Reichardt. 1996. Reconstructive Tomography. In S. Crestana, P. E. Cruvinel, S. Mascarenhas, C. I. Biscegli, L. M. Neto and L. A. Colnago (eds.) *Agricultural Instrumentation, Contributions into the Threshold of the Next Century*. EMBRAPA, CNPDIA. Brasília. 152-200.
- Curry, J. and J.H. Cushman. 1995. Binary mixtures of simple fluids in structured slit-micropores. *Mol. Phys.* 85(1):173-192.
- Curry, J. and J.H. Cushman. 1995. Mixtures in micropores with pore-walls structured on both the atomic and molecular scale. *Dynamics in Small Confined Systems*, (ed) J.M. Drake, J. Klafter, D.D. Awschalom, R. Kopelman, Materials Research Soc., Pittsburgh, PA, 366:141-152.
- Curry, J. and J.H. Cushman. 1995. Nanophase coexistence and sieving in binary mixtures confined between corrugated walls. *J. Chem. Phys.* 103:2132-2139.
- Curry, J., J.H. Cushman, M. Schoen, D.J. Diestler. 1994. Interfacial tension in confined molecularly-thin films. *Mol. Phys.* 81(5):1059-1073.
- Curry, J.E. and J.H. Cushman. 1997. Normal-strain induced change in lattice-type for confined cyclohexane films. *Dynamics in Small Confined Systems III*. 115-120.
- Curry, J.E. and J.H. Cushman. 1998. Structure in confined fluids: phase separation of binary simple liquid mixtures. *Tribology Letters* 4:129-136.
- Curry, J.E., Zhang, F., J.H. Cushman, M. Schoen, D.J. Diestler. 1994. Transiently coexisting nanophases in ultrathin films confined between corrugated walls. *J. Chem. Phys.* 101(12):10824-10832.
- Cushman, J.H. 1997. Higher-order stochastic models for flow and transport in geologic media. *MODSIM 97*.
- Cushman, J.H. and B.X. Hu. 1997. Solutions to the stochastic transport problem for conservative solutes. *Stoch. Hydrol. Hyd.* 11(4):297-302.
- Cushman, J.H. and T.R. Ginn. 1998. Reactive contaminant transport in the saturated zone. In *Ground Water Hydrology Handbook*, (ed) J. W. Delleur, CRC Press. pp. 15-1 to 15-21.
- Cushman, J.H. and X. Hu. 1995. A resumé of nonlocal transport theories. *Stoch. Hydrol. Hyd.* 9:105-116.
- Cushman, J.H. 1997. *Angstroms The Physics of Fluids in Hierarchical Porous Media to Miles*, Kluwer Academic Press, 490 p.
- Cushman, J.H., F.W. Deng and X. Hu. 1995. A nonlocal theory of reactive transport with physical and chemical heterogeneity: Localization errors. *Water Resour. Res.* 31(9):2239-2255.
- Cushman, J.H., X. Hu and F.-W. Deng. 1996. Comparison of Eulerian to Lagrangian expected spatial moments for transport in a heterogeneous porous medium with deterministic linear nonequilibrium adsorption. *Chem. Eng. Com.* 148-150:5-21.
- Cushman, J.H., X. Hu, T.R. Ginn. 1994. Nonequilibrium statistical mechanics of preasymptotic dispersion. *J. Stat. Phys.* 75:859-878.
- Damaskova, H., J. Simunek, and M. Sejna. 1996. Modeling nitrate transport under transient flow conditions, In: ModelCARE '96: Poster sessions, Int. Conf. *Calibration and Reliability in Groundwater Modelling*, pp. 61-70.

- Das, B. S., G. J. Kluitenberg, and G. M. Pierzynski. 1995. Temperature dependence of nitrogen mineralization rate constant: A theoretical approach. *Soil Sci.* 159:294-300.
- Decker, D.L. and S.W. Tyler. Evaluation of flow and solute transport parameters for heap leach recovery materials. *Journal of Environmental Quality* (in press).
- Deng, F.-W. and J.H. Cushman. 1995. Comparison of moments for classical-, quasi- and convolution-Fickian dispersion of a conservative tracer. *Water Resour. Res.* 31(4):1147-1149.
- Deng, F.-W. and J.H. Cushman. 1995. On higher order corrections to the flow-velocity covariance tensor. *Water Resour. Res.* 31(7):1659-1672.
- Deng, F.-W. and J.H. Cushman. 1998. On higher order corrections to the flow velocity covariance tensor: Revisited. *Water Resour. Res.* 34(1):103-106.
- Derby, N.E., R.E. Knighton, and D.D. Steele. 1997. Methods for monitoring leachate losses under irrigated corn best management practices. In: *Proc. USCID Conference on Best Management Practices for Irrigated Agriculture and the Environment*. Fargo, ND, July 16-19, 1997.
- Dhillon, N. S., J. S. Samra, U. S. Sadana and D. R. Nielsen. 1994. Spatial variability of soil test values in a typical ustochrept. *Soil Technology* 7:163-171.
- Diestler, D.J., M. Schoen, J.E. Curry, J.H. Cushman (1994) Thermodynamics of a fluid confined to a slit-pore with structured walls. *J. Chem. Phys.* 100:9140-9146.
- Dirksen, C., M. J. Huber, P. A. C. Raats, S. L. Rawlins, J. van Schilfgaarde, J. Shalhevet, and M. Th. van Genuchten. 1994. Interaction of Alfalfa with Transient Water and Salt Transport in the Rootzone. *Research Report No. 135*, U.S. Salinity Laboratory, USDA, ARS, Riverside, CA, 127 p.
- Eching, S.O., J.W. Hopmans and O. Wendroth. 1994. Unsaturated Hydraulic conductivity from transient multistep outflow and soil water pressure data. *Soil Sci. Soc. Am. J.* 58:687-695
- Eching, S.O., J.W. Hopmans and W.W. Wallender. 1994. Estimation of in-situ unsaturated soil hydraulic functions from scaled cumulative drainage data. *Water Resour. Res.* 30(8):2387-2394.
- Eching, S.O., J.W. Hopmans, W.W. Wallender, J. L. MacIntyre and D. Peters. Estimation of local and regional components of drain flow from an irrigated field. *Irrigation Science* 15:153-157.
- Eichinger, W., M.B. Parlange, and H. Stricker, 1996, On the concept of equilibrium evaporation and the value of the Priestley-Taylor coefficient, *Water Resources Research*, 32(1):161-164.
- Eichinger, W., M.B. Parlange, and H. Stricker. 1995. Why is the Priestley-Taylor alpha equal to 1.26?, *Water Resour. Res.* (in press).
- El-Farhan, Y.H., K.M. Scow, L.W. deJonge, D.E. Rolston, and P. Moldrup. 1998. Coupling transport and biodegradation of toluene and trichloroethylene in unsaturated soils. *Water Resour. Res.* 34:437-445.
- El-Farhan, Y.H., L.W. Petersen, D.E. Rolston and R.D. Glauz. 1996. Analytical solution for two-region diffusion with two well-mixed end chambers. *Soil Sci. Soc. Am. J.* 60:1697-1704.
- Ellsworth, T. R. 1996. The influence of transport variability structure on parameter estimation and model discrimination in field soils. Chap. 6 In: D. Corwin and K. Loague (eds.). *Applications of GIS to the Modeling of Non-point Source Pollutants in Field Soil*. Soil Sci. Soc. Am. Spec. Publ., Mad. WI. p. 101-130.

- Ellsworth, T. R. and C. W. Boast. 1996. The spatial structure of solute transport variability in unsaturated field soil. *Soil Sci. Soc. Am. J.*, 60: 1355- 1367.
- Ellsworth, T.R., P. J. Shouse, T. H. Skaggs, J. A. Jobes, and J. A. Fargerlund. 1996. Solute transport in unsaturated soil: Experimental design, parameter estimation, and model discrimination. *Soil Sci. Soc. Am. J.* 60:397-407.
- Elumalai Sivamani, Ahmed Baheildin, Jon M. Wraith, Thamir Al-Niemi, William E. Dyer, Tuan-Hua David Ho and Rongda Qu. 1998. Improved water use efficiency in transgenic wheat expressing the barley HVA1 gene. 1998 Congress on In Vitro Biology, May 30-June3, 1998, Las Vegas. NV, USA. *In Vitro* 34: 1096.
- Essert, S. and J.W. Hopmans. 1998. Combined tensiometer-solutionsampling probe. *Soil and Tillage Research* 45(3-4):299-309.
- Evet, S. R., A. D. Matthias and A. W. Warrick. 1994. Energy balance model of evaporation from bare soil. *Soil Sci. Soc. Am. J.* 59:1604-1611.
- Evet, S. R., A. W. Warrick and A. D. Matthias. 1995. Wall material and capping effects on microlysimeter temperatures and evaporation. *Soil Sci. Soc. Am. J.* 59:329-326.
- Ewing and R. Horton. 1998. Quantitative color image analysis of agronomic images. *Agronomy Journal* (in press).
- Ewing, R. P. and B. Berkowitz. 1998. A generalized growth model for simulating initial migration of dense non-aqueous phase liquids. *Water Resour. Res.* 34 (4) 611-622.
- Ewing, R. P. and R. Horton. 1998. Discriminating dyes in soils with color image analysis. *Soil Sci. Soc. Am. J.* (in press).
- Ewing, R.P. and D.B. Jaynes. 1995. Issues in single-fracture transport modeling: Scales, algorithms, and grid types. *Water Resour. Res.* 31:303-312.
- Ewing, R.P. and S.C. Gupta. 1994. Pore-scale network modeling of compaction and filtration during surface sealing. *Soil Sci. Soc. Am. J.* 58:712-720.
- Farahani, H. J., and W. C. Bausch. 1995. Performance of evapotranspiration models for maize-bare soil to closed canopy. *Trans. ASAE* 38(4):1049-1059.
- Farahani, H. J., L. R. Ahuja, G. A. Peterson, L. A. Sherrod, and R. Mrabet. 1995. Root Zone Water Quality Model evaluation of dryland/no-till crop production in eastern Colorado. *Proceeding of the International Symposium on Water Quality Modeling.* ASAE. Apr. 2-5, Kissimmee, Florida.
- Farahani, H. J., W. C. Bausch, R. Aiken and L. A. Ahuja. 1996. Evapotranspiration modeling in system-wide agricultural models - RZWQM. *International Conference on evapotranspiration and irrigation scheduling.* ASAE. Nov 3-6, San Antonio, TX.
- Fayer, M. J., and C. S. Simmons. 1995. Modified Soil Water Retention Functions for all Matric Suctions. *Water Resour. Res.* 31:1233-1238.
- Fayer, M. J., and G. W. Gee, 1997. Hydrologic Model Tests for Landfill Covers Using Field Data. pp 53-68. In: T. D. Reynolds and R. C Morris (eds.). *Landfill Capping in the Semi-Arid West: Problems, Perspectives, and Solutions.* Conference Proceedings. ESRF, Idaho Falls, ID.
- Fayer, M.J., G.W. Gee, M.L. Rockhold, M.D. Freshley, and T.B. Walters. 1996. "Estimating Recharge Rates for a Ground-Water Model Using a GIS." *J. Environ. Qual.* 25:510-518.

- Fennemore, G. G., and A. W. Warrick. 1997. Simulation of unsaturated water flow around obstructions: Three-dimensional rankine bodies. *Adv. Water Resour.* 20:15-22.
- Fischer, U., O. Dury, H. Flühler, and M. Th. van Genuchten. 1997. Modeling nonwetting phase relative permeability accounting for a discontinuous nonwetting phase. *Soil Sci. Soc. Am. J.* 61(5):1348-1354.
- Flury, M. W. Frankenberger, and W. Jury, 1997. Selenium removal at Kesterson reservoir by volatilization. *Science of the Total Env.* 198:259-270.
- Flury, M., H. Fluhler, W.A. Jury, and J. Leuenberger, 1994. Susceptibility of soils to preferential flow: A field study. *Water Resour. Res.* 30: 1945-1954.
- Flury, M., Jury, W. A. and Kladvko, E. J., 1998a. Field-scale solute transport in the vadose zone: Experimental observations and interpretation. In: H. M. Selim and L. Ma (eds.), *Physical Nonequilibrium in Soils: Modeling and Application*. Ann Arbor Press, Chelsea, MI, pp. 349-369.
- Flury, M., M.V. Yates, and W. Jury, 199x. The effect of lower boundary condition on solute transport in lysimeters. *Soil Sci Soc. Am. J.* (in press).
- Flury, M., M.V. Yates, and W. Jury, 1999. Variability of solute transport in lysimeters *Amer. Chem. Soc. Symp. Ser.* (in press).
- Flury, M., Wu, Q. J., Wu, L. and Xu, L., 1998b. Analytical solution for solute transport with depth-dependent transformation or sorption coefficients. *Water Resour. Res.*, 34:~2931-2937.
- Flury, M., Yates, M. V., Jury, W. A. and Anderson, D. L., 1998c. Variability of solute transport in field lysimeters. *ACS Symp. Ser.*, 699: 65-75.
- Fogg, G. E., D. R. Nielsen, and D. Shibberu. 1994. Modeling contaminant transport in the vadose zone: Perspective on state of the art. In *Handbook of Vadose Zone Characterization and Monitoring*, Lewis Publishers, Chelsea, Michigan. 249-265.
- Fogg, G.E., D.E. Rolston, D.L. Decker, D.T. Louie, and M.E. Grismer. 1998. Spatial variation in nitrogen isotope values beneath nitrate contamination sources. *Ground Water.* 36(3):418-426.
- Folorunso, O.A., C.E. Puente, D.E. Rolston, and J.E. Pinzon. 1994. Statistical and fractal evaluation of the spatial characteristics of soil surface strength. *Soil Sci. Am. J.* 58:284-294.
- Fortin, J., M. Flury, and W. A. Jury, 1997. Rate-limited sorption of simazine in saturated soil columns. *J. Contaminant Hydrol.* 25:219-234.
- Fortin, J., W. A. Jury, and M. A. Anderson. 1997. Surfactant-aided dissolution of trapped non-aqueous phase liquids in sand columns. *J. Contaminant Hydrol.* (in press).
- Fortin, J., W. A. Jury, and M.A. Anderson, 1996. Enhanced removal of trapped non-aqueous phase liquids from saturated soil using surfactant solutions. *J. Contaminant Hydrol.* 24:247-267.
- Fortin, J., W. A. Jury, and M.A. Anderson, 1998. Dissolution of trapped non-aqueous phase liquids in sand columns. *J. Env. Qual.* 27:38-45.
- Friedman, I., J. Bischoff, C. A. Johnson, S.W. Tyler and J.P. Fitts. Movement and diffusion of pore fluids in Owens Lake sediments from core OL-92 as shown by salinity and deuterium-hydrogen ratios. *Geologic Society of America Bulletin* (in press).
- Frueh, W.T., and J.W. Hopmans. 1997. TDR calibration of a multilevel probe in gravely soils. *Soil Science.* 162(8):554-565.

- Gaber, H. M., W. P. Inskeep, S. D. Comfort, and J. M. Wraith. 1995. Nonequilibrium transport of atrazine through large intact soil cores. *Soil Sci. Soc. Am. J.* 59:60-67.
- Gan, J. Y., S. R. Yates, W. F. Spencer, M. V. Yates, and W. A. Jury, 1997. Laboratory-scale measurements and simulations of the effect of application methods on methyl bromide emission after soil application. *J. Environ. Qual.* 26: 310-317.
- Gangloff, W.J., M. Ghodrati, J.T. Sims, and B.L. Vasilas. 1997. Field study: Influence of fly ash on leachate composition in an excessively drained soil. *J. Environ. Qual.* 26(3):714-723.
- Gee, G. W. 1998. Innovations in Two-Phase Measurement of Hydraulic Properties. In: Th M. van Genuchten, F. J. Leij and L. Wu (eds.), *Characterization and Measurement of the Hydraulic Properties of Unsaturated Porous Media*. University California Riverside Press (in press).
- Gee, G. W., A. L. Ward, and M. J. Fayer. 1997. Surface Barrier Research at the Hanford Site. *Land Contamination and Reclamation* 5(3):233-238.
- Gee, G. W., A. L. Ward, and N. R. Wing. 1996. The Development of Permanent Isolation Surface Barriers at the Hanford Site. *Geotechnical Engr. J.* (in press).
- Gee, G. W., and A. L. Ward. 1997. Still in Quest of the Perfect Cap. pp 145-164. In: T. D. Reynolds and R. C Morris (eds.). *Landfill Capping in the Semi-Arid West: Problems, Perspectives, and Solutions*. Conference Proceedings. ESRF, Idaho Falls, ID.
- Gee, G. W., and S. W. Tyler (eds.). 1994. Symposium on recharge estimation techniques. *Soil Sci. Soc. Am. J.* 58:5.
- Gee, G. W., N. R. Wing, and A. L. Ward. 1997. Development and Testing of Permanent Isolation Surface Barriers at the Hanford Site. National Academy of Science. (D3-D22) In: *Barrier Technologies for Environmental Management*. National Academy Press, Washington, D.C.
- Gee, G.W., P.J. Wierenga, B.J. Andraski, M.H. Young, M.J. Fayer, M.L. Rockhold. 1994. Variations in water balance and recharge at three western desert sites. *Soil Sci. Soc., Am. J.* 58:63-74.
- Gee, G. W. and N. R. Wing (eds.). 1994. *In-Situ Remediation: Scientific Basis for Current and Future Technologies*, Parts 1-2. 1271 pp. Thirty-Third Hanford Symposium on Health and the Environment. November 7-11, 1994. Pasco, Washington. Battelle Press, Columbus, Ohio.
- Gerke, H. H., and M. Th. van Genuchten. 1996. Macroscopic representation of structural geometry for simulating water and solute movement in dual-porosity media. *Adv. Water. Resour.*, 19(6):343-357.
- Globus, A. M., and G. W. Gee. 1995. Method to Estimate Moisture Diffusivity and Hydraulic Conductivity of Moderately Dry Soil. *Soil Sci. Soc. Am. J.* 59:684-689.
- Goncalves, M.C., L. S. Pereira, and F. J. Leij. 1996. Pedo-transfer functions for estimating unsaturated hydraulic properties of Portuguese soils. *European J. Soil Sci.* 48:387-400.
- Govindaraju R. S., B. S. Das, and G. J. Kluitenberg. 1996. Cumulants-based analysis of input-output concentration data from soil column studies for system identification. *ASCE Journal of Hydrologic Engineering* 1:41-48.
- Govindaraju, R.S., M.L. Kavvas, S.E. Jones and D.E. Rolston. 1996. Use of Green-Ampt model for analyzing one-dimensional convective transport in unsaturated soils. *Journal of Hydrology* 178:337-350.

- Green, C. J., A. M. Blackmer, and R. Horton. 1995. Nitrogen effects on conservation of carbon during corn residue decomposition in soil. *Soil Sci. Soc. Am. J.* 59:1411-1415.
- Green, J. D., R. Horton, and J. L. Baker. 1995. Crop residue effects on the leaching of surface-applied chemicals. *J. Environ. Qual.* 24:343-351.
- Groeneveld, D. P., and D. Or. 1994. Water Table-Induced Shrub-Herbaceous Ecotone in Owens Valley, California: Hydrological Management Implications. *Water Resour. Bull.* 30:911-920.
- Gui, S., R. Zhang, and J. Wu, 1998. Simplified dynamic reliability models for hydraulic design. *ASCE, Journal of Hydraulic Engineering* 124:329-333.
- Gui, S., R. Zhang, and X. Xue, 1998. Overtopping reliability models for river levee. *ASCE, J. of Hydraulic Engineer.* 124:1227-1234.
- Gui, S., R. Zhang, X. Xue, and J. Turner, 1998. Stochastic analysis of the total flux and hydraulic gradient of earth dam. *Proc. Eighteenth Annual American Geophysical Union, Hydrology Days.* pp. 131-140. Fort Collins, CO.
- Gui, S., R. Zhang, Y. Tung, and J. Wu, 1996. Improved dynamic reliability model for hydraulic design. *Proc. Sixteenth Annual American Geophysical Union, Hydrology Days.* pp. 211-222. Fort Collins, CO.
- Guo, Lei, W. Jury, and W. Frankenberger. Selenium partitioning and fate during transport in saturated soil. *Water Resour. Res.* (in press)
- Guo, Lei, W. Jury, R. Wagenet, and M. Flury. Dependence of pesticide degradation on sorption. *Water Resour. Res.*
- Hajrasuliha, S., D.E. Rolston, and D. T. Louie. 1998. Fate of ¹⁵N Fertilizer Applied to Trickle-irrigated Grapevines. *Am. J. Enol. Vitic.*, Vol. 49(2):191-198.
- Ham, J. M., and G. J. Kluitenberg. 1994. Modeling the effect of mulch optical properties and mulch-soil contact resistance on soil heating under plastic mulch culture. *Agric. For. Meteorol.* 71:403-424.
- Hassan, A., J.H. Cushman, and J.W. Delleur (1998) A Monte Carlo assessment of Eulerian flow and transport perturbation models. *Water Resour. Res.* 34(5):1143-1163.
- Hassan, A.E., J.H. Cushman, and J.W. Delleur (1997) Monte Carlo studies of flow and transport in fractal conductivity fields: Comparison with stochastic perturbation theory. *Water Resour. Res.* 33(11):2519-2534.
- Hassan, A.E., J.H. Cushman, and J.W. Delleur (1998) The significance of porosity variability to transport in heterogeneous porous media. *Water Resour. Res.* (in press).
- Hatfield, J.L. and Jaynes, D. B. 1995. Watershed Management to Achieve Environmental Quality Goals: A case study in Walnut Creek watershed, Iowa, pp. 1370-1374. In: Espey, Jr., William H. and Combs, Phil G. (eds.) *Water Resources Engineering*, Vol. 2. San Antonio, TX, August 14-18, 1995. *Am. Soc. Civil Engrs.*, New York, NY.
- Hatfield, J. L., Jaynes, D. B., Baker, J. L., Burkart, M. R., Buchmiller, R. C. and Soenksen, P. J. 1995. Walnut Creek Watershed: Linking Farming Practices to Environmental Quality, Vol. III, pp. 125-128. In: Proc. Clean Water-Clean Environment-21st Century, Kansas City, MO, March 5-8, 1995. *Am. Soc. Agric. Engrs.*, St. Joseph, MI.
- Hatfield, J.L. and Jaynes, D.B. 1997. Impact of Midwest farming practices on surface and ground

- water quality. p. 266-281. *Am. Chem. Soc. Monogr. Series*.
- Hatfield, J.L., D.B. Jaynes, M.R. Burkart, C.A. Cambardella, T.B. Moorman, J.H. Prueger, and M.A. Smith. 1998. Water quality in Walnut Creek watershed: Setting and farming practices. *J. Environ. Qual.* (In press).
- Hatfield, J.L., Jaynes, D.B., Burkart, M.R., and Smith, M.A. 1996. Water quality and farming practices On an agricultural watershed. p.101-104. *Proc. Watershed '96 - Moving Ahead Together*, Baltimore, MD, June 8-12, 1996.
- Hatfield, J.L., Jaynes, D.B., and Burkart, M.R. 1995. A watershed study to evaluate farming practices on water quality. p. 127-153. *Proc. Nat. Agricult. Ecosystem Manage. Conf.* New Orleans, LA., Dec. 13-15, 1995.
- Heeraman, D.A., J.W. Hopmans, and V. Clausnitzer. 1997. Three-dimensional imaging of plant roots in situ with X-ray computed tomography. *Plant and Soil* 180:167-179.
- Hendrickx, J.M.H. and G. Walker. 1997. Recharge from precipitation. Chapter 2. In: I. Simmers (ed.), Recharge of phreatic aquifers in (semi)-arid areas. Balkema, Rotterdam, The Netherlands.
- Hendrickx, J.M.H., C.D. Grande, B.A. Buchanan, and R.E. Bretz. 1994. Electromagnetic induction for restoration of saline environments in New Mexico. Chap. 13, In: Rohinton Bhada (ed), *Waste-Management: From Risk to Remediation*, Vol. 1, ECM Series on Environmental Management and Intelligent Manufacturing.
- Hills, R. G., P. D. Meyer, and M. L. Rockhold. 1995. POLYRES: A Polygon-Based Richards Equation Solver. NUREG/CR-6366, PNL-10709, U.S. Nuclear Regulatory Commission, Washington, D.C.
- Hills, R.G. and P.J. Wierenga. 1994. Intraval Phase IIa. Model testing at the Las Cruces trench site. U.S. Nuclear Regulatory.
- Hills, R.G., K.A. Fisher, M.R. Kirkland and P.J. Wierenga. 1994. Application of flux corrected transport to the Las Cruces trench site. *Water Resour. Res.* 30:2377-2385.
- Hipps, L. E., D. Or, and C.M.U. Peale. 1996. Spatial Structure and Scaling of Surface Fluxes and Governing Properties in a Great Basin Ecosystem. In: *Scaling up in Hydrology using Remote Sensing*, pp. 113-125, eds. Stewart et al., John Wiley & Sons, Chichester, England.
- Hogarth, W.L., J.-Y Parlange, J. Sprintall, R. Haverkamp, and M.B. Parlange, 1995, Addendum to "Interaction of wetting fronts with an impervious surface". *Transport in Porous Media*, 21:95-99.
- Hopmans, J. W., F. J. Leij, P. J. Shouse, and M. Th. van Genuchten. 1996. Retention and permeability of multi-fluid soil systems. In: D. Silva (ed.), 1994-1995 Annual Report, *Reactions of Toxic Pollutants in Soil Systems*, pp. 259-270, Kearney Foundation of Soil Science, University of California, Riverside.
- Hopmans, J. W., M. Cislserova and T. Vogel. 1994. X-ray tomography of soil properties. In: *Tomography of Soil-Water Root Processes*. Special Publication 36, Soil Science Society of America, pp. 17-28.
- Hopmans, J.W. 1994. Review: "Water Flow in Soils" by T. Miyazaki. *Soil Sci.*, 157(4):264-265.
- Hopmans, J.W., J.C. van Dam, S.O. Eching and J. N. M. Stricker. 1996. Parameter estimation of soil hydraulic functions using inverse modeling of transient outflow experiments. *Trends in Hydrology* 1:217-242.

- Hopmans, J.W., J.M.H. Hendrickx, and J.S. Selker. 1999. Emerging measurement techniques for Vadose Zone characterization. In: *Vadose Zone Hydrology: Cutting Across Disciplines*, M.B. Parlange and J.W. Hopmans (eds.). Oxford University Press.
- Hopmans, J.W., K. Kosugi, H. Shepherd, V. Clausnitzer and A. Tuli. 1998. Measurement and analysis of changing pore-size distribution: Influence of irrigation practices and microbial activity. *Soil and Tillage Research* 47(1-2):27-36.
- Hopmans, J.W., M. Cislerova and R. Vogel. 1994. X-ray tomography of soil properties. pp. 17-28 In: S. E. Anderson and J. W. Hopmans (eds.), *Tomography of Soil-Water-Root Processes*, SSSA Special Publ. 36, Soil Sci. Soc. Am., Madison, WI.
- Hopmans, J.W., M.E. Grismer, J. Chen and Y.P. Liu. 1998. Parameter estimation of two-fluid capillary pressure-saturation and permeability functions. EPA Final Report In press).
- Hopmans, J.W., V. Clausnitzer, K.I.Kosugi, D.R. Nielsen and F. Somma.1997. Vadose zone measurement and modeling. *Sci. Agric.*, Piracicaba, 54 (Special number): 22-38.
- Horton, R., G. J. Kluitenberg, and K. L. Bristow. 1994. Surface crop residue effects on the soil surface energy balance. p. 143-162. In P. W. Unger (ed.) *Managing Agricultural Residues* p. 143-162. CRC Press, Inc.
- Horton, R., K. L. Bristow, G. J. Kluitenberg, and T. S. Sauer. 1996. Crop residue effects on surface radiation and energy balance. *Theor. and Appl. Climat.* 54:27-37.
- Horton, R., M. D. Ankeny, and R. R. Allmaras. 1994. Effects of compaction on soil hydraulic properties. In: B.D. Soane and C. van Ouwerkerk (eds.) *Soil Compaction in Crop Production*. p. 141-165.
- Horton, R., D. E. Ressler, T. C. Kaspar, and J. L. Baker. 1998. Method and tool to increase N-use efficiency and reduce leaching. *U.S. Patent No. 5,797,459*. Aug. 25, 1998.
- Hu, X. and J. H. Cushman (1997) Comparison of nonlocal-eulerian to lagrangian moments for transport in an anisotropic heterogeneous aquifer with deterministic linear nonequilibrium sorption. *Water Resour. Res.* 33(4):891-896.
- Hu, X., F.W. Deng and J.H. Cushman (1995) A nonlocal theory of reactive transport with physical and chemical heterogeneity: Linear nonequilibrium sorption with random Kd. *Water Resour. Res.* 31(9):2219-2237.
- Hu, X., F.W. Deng and J.H. Cushman (1997) Nonlocal reactive transport with physical and chemical heterogeneity: Linear nonequilibrium sorption with random rate coefficients. *Subsurface Flow and Transport: A Stochastic Approach*, (ed) G. Dagan and S.P. Neuman, Cambridge Press 146-156.
- Hu, X., J.H. Cushman (1994) Nonequilibrium statistical mechanical derivation of a nonlocal Darcy's law for unsaturated flow. *Stoch. Hydrol. Hyd.* 8:109-116.
- Hu, X., J.H. Cushman and F.W. Deng (1997) Nonlocal theory of reactive transport with physical, chemical and biological heterogeneity. *Adv. Water Resour. Res.* 20:293-308
- Huang, K., and M. Th. van Genuchten. 1994. A comparative study of particle tracking techniques for numerically solving the convection-dispersion equation. In: A. Peters, G. Wittum, B. Herrling, U. Meissner, C. A. Brebbia, W. G. Gray and G. F. Pinder (eds.), *Computational*

- Methods in Water Resources*, X, Vol. 1. pp. 281-290. Water Science and Engineering Library, Kluwer Academic Publ., Dordrecht, The Netherlands.
- Huang, K., and M. Th. van Genuchten. 1995. An analytical solution for predicting solute transport during ponded infiltration. *Soil Sci.*, 159:217-223.
- Huang, K., B. P. Mohanty and M. Th. van Genuchten. 1995. A new convergence criterion for the modified Picard iteration method to solve the variably saturated flow equation. *J. Hydrol.*, 178:69-91.
- Huang, K., B. P. Mohanty, F. J. Leij, and M. Th. van Genuchten. 1998. Solution of the nonlinear transport equation using modified Picard iteration. *Adv. Water Resour.* 21: 237-249.
- Huang, K., J. Šimunek, and M. Th. van Genuchten. 1997. A third-order numerical scheme with upwind weighting for solving the solute transport equation. *Int. J. Numer. Methods Eng.* 40: 1623-1637.
- Huang, K., M. Th. van Genuchten, and R. Zhang. 1996. Exact solutions for one-dimensional transport with asymptotic scale-dependent dispersion. *Appl. Math. Modelling*, 20:298-308.
- Huang, K., N. Toride, and M. Th. van Genuchten. 1995. Experimental investigation of solute transport in large homogeneous and heterogeneous, saturated soil columns. *Transport in Porous Media* 18:283-302.
- Huang, K., R. Zhang, and M. Th. van Genuchten. 1994. An Eulerian-Lagrangian approach with an adaptively corrected method of characteristics to simulate variably-saturated water flow. *Water Resour. Res.* 30(2):499-507.
- Hubbell, J.M. and J.B. Sisson. 1996. Portable tensiometer use in deep boreholes. *Soil Sci.* 161(6):376-381.
- Hubscher, R.A., D. Or, J.M. Wraith, and B. Smith. 1996. Win_TDR Users Guide. *Utah Agric. Experiment Sta. Res. Rep.*, Logan, UT
- Hui, S., O. Wendroth, M.B. Parlange, and D.R. Nielsen, Analyzing infiltration from cumulative infiltration measurements in a field having nonuniform distribution. *Balkan Journal of Ecology* (in press).
- Hussen, A. A. and A. W. Warrick. 1994. Tension infiltrometers for the measurement of vadose zone hydraulic properties. In Wilson, L. G., L. G. Everett and S. J. Cullen (Ed), *Handbook of vadose zone characterization and monitoring*. Lewis Publishers, Boca Raton, FL. p. 189-201.
- Hutmacher, R.B., H.I. Nightingale, D.E. Rolston, J.W. Biggar, F. Dale, S.S. Vail, D. Peters. 1994. Growth and yield responses of almond (*Prunus amygdalus*) to trickle irrigation. *Irrig. Sci.* 14:117-126.
- Inoue, M., J. Šimunek, J.W. Hopmans, and V. Clausnitzer. 1998. In-situ estimation of soil hydraulic properties using a multistep soil-water extraction technique. *Water Resour. Res.* 34(5):1035-1050.
- Inskeep, W.P., J.M. Wraith, J.P. Wilson, R.D. Snyder, R.E. Macur, and H.M. Gaber. 1996. Input parameter and model resolution effects on solute transport predictions. *J. Environ. Qual.* 25:453-462.
- Jackson, T.J., Schmutge, T.J., O'Neill, P.E. and M.B. Parlange, 1998, Soil water infiltration observation with microwave radiometers, *IEEE, Trans. Geosci. Remote Sensing*, 36(5): 1376-1383.

- Jacques, D., and B. P. Mohanty. 1997. Analysis of solute redistribution in heterogeneous soil: I. Geostatistical approach to describe the spatial scaling factors. *Geoenv. Geostatist. Environ. Appl.* pp. 283-295.
- Jaynes, D. B. 1996. Mapping the Areal Distribution of Soil Parameters with Geophysical Techniques, pp. 205-216. In: Corwin, D. L. and Loague, K. (eds.) *Applications of GIS to the Modeling of Non-Point Source Pollutants in the Vadose Zone*. SSSA Special Publication no. 48. ASA, Madison, WI.
- Jaynes, D. B., and T.S. Colvin. 1997. Spatiotemporal variability of corn and soybean yield. *Agron. J.* 89:30-37.
- Jaynes, D. B., Novak, J. M., Moorman, T. B. and Cambardella, C. A. 1995. Estimating herbicide partition coefficients from electromagnetic induction measurements. *J. Environ. Qual.* 24(1):36-41.
- Jaynes, D. B., S. D. Logsdon, and R. Horton. 1995. Field method for measuring mobile/immobile water content and solute transfer rate coefficient. *Soil Sci. Soc. Am. J.* 59:352-356.
- Jaynes, D.B. 1994. Evaluation of florobenzoate tracers in surface soils. *Groundwater.* 32:532-538.
- Jaynes, D.B. 1995. Electromagnetic induction as a mapping aid for precision farming. p. 153-156. *Proc. Clean Water-Clean Environment-21st Century*. 5-8 March 1995. Kansas City, MO. Am. Soc. Agric. Engrs., St. Joseph, MI.
- Jaynes, D.B. 1996. Improved soil mapping using electromagnetic induction surveys. p. 169-179. In Robert, P.C., Rust, R.H., and Larson, W.E. (ed.) *Proc. 3rd Int. Conf. on Precision Agric.* 23-26 June 1996. Minneapolis, MN. ASA, CSSA, SSSA, Madison, WI.
- Jaynes, D.B. 1996. Mapping the areal distribution of soil parameters with geophysical techniques. p. 205-216. In D.L. Corwin and K. Loague (ed.) *Applications of GIS to the modeling of non-point source pollutants in the vadose zone*. SSSA Spec. Publ. 48. ASA, CSSA, and SSSA, Madison, WI.
- Jaynes, D.B. 1997. Improved soil mapping using electromagnetic induction surveys. In Robert et al. (ed.) 3rd. International Conf. on Precision Agriculture. (in press).
- Jaynes, D.B. and Horton, R. 1998. Field parameterization of the mobile/immobile domain model. Chapter 11, pp. 297-310. In Selim, H. Magdi and Ma, Liwang (ed.) *Physical Nonequilibrium in Soils: Modeling and Application*. Ann Arbor Press, Chelsea, MI.
- Jaynes, D.B. and J.B. Swan. 1997. Solute movement in a fallow ridge tillage system under natural rainfall. *Soil Sci. Soc. Am. J.* (in press).
- Jaynes, D.B. and J.G. Miller. 1997. Evaluation of RZWQM using field measured data from Iowa MSEA. *Agron. J.* (In press).
- Jaynes, D.B. and M. Shao. 1998. Evaluation of a field technique for measuring two-domain transport parameters. *Soil Sci.* (In press).
- Jaynes, D.B. and Shao, M. 1998. Parameter estimation for the mobile/immobile (MIM) domain model. *Agron. Abstr.* p. 170.
- Jaynes, D.B. and T.S. Colvin. 1997. Spatiotemporal variability of corn and soybean yield. *Agron. J.* 89:30-37.

- Jaynes, D.B. pp. (1-A) 1-18. Soils of Walnut Creek watershed. In Sauer, P.A. and J.L. Hatfield (eds.) *Walnut Creek Watershed Research Protocol Report 1994*. Bulletin 94-1. USDA-ARS, National Soil Tilth Laboratory, Ames, IA. 1994.
- Jaynes, D.B. pp. (5-M.2) 1-6. Groundwater quality as affected by landscape position. In Sauer, P.A. and J.L. Hatfield (eds.) *Walnut Creek Watershed Research Protocol Report 1994*. Bulletin 94-1. USDA-ARS, National Soil Tilth Laboratory, Ames, IA. 1994.
- Jaynes, D.B., J.L. Hatfield, and P.J. Soenksen. Water and chemical transport in surface and tile discharge of Walnut Creek, pp. 430-445. In *Toxic Substances and the Hydrologic Sciences. Am. Inst. Hydrol.* Austin, TX, April 11-13, 1994.
- Jaynes, D.B., S.D. Logsdon and R. Horton. Field method for measuring mobile/immobile water content and solute transfer rate coefficient. *Soil Sci. Soc. Am. J.* (accepted).
- Jaynes, D.B., and J.G. Miller. 1997. Evaluation of Root Zone Water Quality Model using data from the Iowa Management System Evaluation Area. *Agron. J.* (in press).
- Jaynes, D.B., Colvin, T.S., and Ambuel, J. 1995. Yield mapping by electromagnetic induction. p. 383-394. *In* Robert, P.C., Rust, R.H., and Larson, W.E. (ed.) *Proc. Site-Specific Management for Agric. Systems. ASA-CSSA-SSSA*, Madison, WI.
- Jin, Yan, and W. A. Jury. 1995. Methyl bromide diffusion and emission through soil columns under various management techniques. *J. Env. Qual.* 24:1002-1009.
- Jin, Yan, and William A. Jury, 1996. Measurement and prediction of gaseous diffusion coefficients in soil. *Soil Sci. Soc. Amer. J.* 60:66-71.
- Jin, Yan, M. V. Yates, S. S. Thompson, and W. A. Jury, 1997. Sorption of viruses during flow through saturated sand columns. *Environmental Sci. and Tech.* 31:548-555.
- Jin, Yan, Thilo Streck, and William A. Jury, 1994. Transport and biodegradation of toluene in unsaturated soil. *J. Contam. Hydrol.* 17:111-127.
- Jin, Yan, W. A. Jury, and M. V. Yates. 1998. Virus transport and reactions in saturated soil. *Environmental Sci. and Tech.* (in press)
- Johnson, G.D., X. Ni, M.E. McLendon, J.S. Jacobsen, and J.M. Wraith. 1996. Impact of Russian Wheat Aphid (Homoptera: Aphididae) on drought-stressed and non-drought-stressed spring wheat. Entomological Soc. of America, Thomas Say Publications Series.
- Jones, S.B., and D. Or. 1998. A Capillary-Driven Root Module for Plant Growth in Microgravity. *Adv. Space Res.* (in press).
- Jones, S.B., and D. Or. 1998. Design of Porous Media for Optimal Liquid and Gaseous Fluxes to Plant Roots. *Soil Sci. Soc. Am. J.* 62:563-573.
- Jones, S.B., and D. Or. 1998. Microgravity Effects on Water Flow and Distribution in Unsaturated Porous Media: Analyses of Flight Experiments. *Water Resour. Res.* (in press)
- Jury, W. A. and 6 others (E. Smerdon, Chair), 1996 "Review of US Dept. of Energy Technical Basis Report for "Surface Characteristics, Preclosure Hydrology, and Erosion" *National Research Council Panel Report*, National Academy Press, Washington, DC, 131 p.
- Jury, W. A., 1995. Stochastic solute transport modeling trends and their compatibility with GIS. pp. 393-406. In: D. Corwin (ed.) *Proceedings of the Soil Sci Soc. Buoyoucos Conf.* on

- Applications of GIS to the modeling of nonpoint source pollutants in the vadose zone. Riverside, CA, May 1-3, 1995.
- Jury, W. A., 1995. Present directions and future research in vadose zone hydrology. Proceedings of the Kearney Foundation Conference on "Vadose Zone Hydrology: Cutting Across Disciplines" Davis, CA, Sept. 7-9, 1995. 30 p.
- Jury, W. A., 1996. Stochastic solute transport modeling trends and their potential compatibility with GIS. In: D. Corwin, (Ed) "Application of GIS to the Modeling of Non-point Source Pollution in the Vadose Zone" pp. 57-67. SSSAJ Special Publication 48, Soil Sci Soc Amer., Madison, WI.
- Jury, W. A., and 13 others (J. Andelman, Chair), 1994. "Ground Water Recharge: Using Waters of Impaired Quality." National Research Council Panel Report. National Academy Press. Washington, D. C., 271 p.
- Jury, W.A. and D.R. Scotter. 1994. A unified approach to stochastic-convective transport problems. *Soil Sci. Soc. Amer. J.* 58:1327-1336.
- Jury, William A., Yan Jin, Jianying Gan, and Thomas Gimmi, 1996. Strategies for Reducing Fumigant Loss to the Atmosphere. pp. 104-116. In: J. N. Seiber et al. (eds), Fumigants: Environmental Fate, Exposure, and Analysis, *Am. Chem. Soc. Symp. Series 652*, Am. Chem. Soc., Washington, DC.
- Kabala, Z.J., and T.H. Skaggs, 1998. Comment on "Minimum relative entropy inversion: Theory and application to recovering the release history of a groundwater contaminant", *Water Resour. Res.*, 34(8), 2077-2079.
- Kamau, P. A., T. R. Ellsworth, C. W. Boast, and F. W. Simmons. 1996. The influence of tillage, cropping and chemical application method on preferential flow and transport. *Soil Sc.* 162: 549-561.
- Karlen, D.L., Andrews, S.S., Colvin, T.S., Jaynes, D.B., and Berry, E.C. 1998. Spatial and temporal variability in corn growth, development, insect pressure, and yield. *4th Int. Conf. on Precision Agric.* p. 89.
- Katul, G. G., C. R. Chu, M. B. Parlange, J. D. Albertson, and T. A. Ortenburger. 1995. The low wavenumber spectral characteristics in stratified atmospheric surface layer flows, *Journal of Geophysical Research D - Atmospheres* 100(7):14243-14255.
- Katul, G. G., M. B. Parlange, C. R. Chu, J. D. and Albertson. 1995. An investigation of the sweeping decorrelation hypothesis in stratified atmospheric surface layer flows, *Fluid Dynamics Research* 16:275-295.
- Katul, G.G. and J.D. Albertson, C.R. Chu, M.B. Parlange, H. Stricker and S. Tyler. 1994. Estimation of sensible and latent heat flux using the eddy accumulation method. *Water Resour. Res.* 30:(11):3033-3040.
- Katul, G.G. and M.B. Parlange, and C.R. Chu. 1994. Intermittency, local isotropy, and non-Gaussian statistics in stratified atmospheric surface layer turbulent flows. *Physics of Fluids* 6(7): 2480-2492.
- Katul, G.G. and M.B. Parlange. 1995. The spatial structure of turbulence in the dynamic and dynamic-convective sublayers using wavelet transforms, *Boundary Layer Meteorology*, 75, 81-108.

- Katul, G.G. and M.B. Parlange. 1994. On the active role of temperature in surface layer turbulence. *J. Atmospheric Sci.* 51(15):2181-2195.
- Katul, G.G., and M.B. Parlange, 1995. Analysis of land surface heat fluxes using the orthonormal wavelet approach, *Water Resour. Res.*, 31, 2743-2749.
- Katul, G.G., C.R. Chu, J.D. Albertson, and M.B. Parlange. 1995. The large scale spectral characteristics in stratified atmospheric surface layer flows, *J. of Geophysical Res. D.* (in press).
- Katul, G.G., J.D. Albertson, C.R. Chu and M.B. Parlange. 1994. Intermittency in Atmospheric Turbulence Using an Orthonormal Wavelet Representation. in "*Wavelets in Geophysics*" Ed. E. Foufoula-Georgiou and P. Kumar, pp. 81-105.
- Katul, G.G., J.D. Albertson, C.R. Chu, M.B. Parlange, H. Stricker and S. Tyler. 1994. Estimation of sensible and latent heat flux using the eddy accumulation method, *Water Resour. Res.*, 30(11), 3053-3059.
- Katul, G.G., J.D. Albertson, M.B. Parlange, C.R. Chu and H. Stricker. 1994. Conditional sampling, bursting, and the intermittent structure of sensible heat flux. *J. of Geophysical Res. D.* 91(D11):28, 869-28,876.
- Katul, G.G., M.B. Parlange, C.R. Chu, J.D. Albertson. 1995. Local isotropy and anisotropy in the sheared and heated atmospheric surface layer, *Boundary Layer Meteorology*, 72(1):123-148.
- Katul, G.G., M.B. Parlange, C.R. Chu, J.D. and Albertson. 1995. An investigation of the sweeping decorrelation hypothesis in stratified atmospheric surface layer flows, *Fluid Dynamics Research*, 16, 275-295.
- Katz, R. W. and M. B. Parlange. 1995. Generalizations of chain-dependent processes: application to hourly precipitation. *Water Resources Research* 31(5):1331-1341.
- Katz, R.W. and M.B. Parlange, 1996, Mixtures of Stochastic Processes: Application to Statistical Downscaling Climate Research, 7:185-193.
- Katz, R.W. and M.B. Parlange, 1998, On overdispersion in stochastic models of precipitation, *J of Climate*, 11(4):691-701.
- Kavvas, M.L., R.S. Govindaraju, D.E. Rolston and S. Jones. 1996. Stochastic modeling of contaminant transport in field-scale heterogeneous soils. M.M. Aral (ed.), *Advances in Groundwater Pollution Control and Remediation*, 47-74.
- Kavvas, M.L., Z.-Q. Chen, R.S. Govindaraju, D.E. Rolston, T. Koos, A. Karakas, D. Or, S. Jones and J. Biggar. 1996. Probability distribution of solute travel time for convective transport in field-scale soils under unsteady and nonuniform flows. *Water Resour. Resear.*, 32:(4):875-889.
- Keck, T., and J.M. Wraith. 1996. Variations among different reclamation materials at Western Energy's Rosebud Mine. p. 29-36. In Proc. Conf. on Planning, Rehabilitation and Treatment of Disturbed Lands, Billings, MT.
- Kiely, G., J. D. Albertson, M. B. Parlange, and W. E. Eichinger. 1996. Scaling the average dissipation rate of temperature variance in the atmospheric surface layer, *Boundary Layer Meteorol.* (in press).
- Kiely, G., J.D. Albertson and M.B. Parlange, 1998, Recent trends in diurnal variation of precipitation at Valentia on the west coast of Ireland, *J. Hydrology*, 207:270-279.
- Kiely, G., J.D. Albertson, M.B. Parlange, and R.W. Katz, 1998, Conditioning stochastic properties of

- daily precipitation on indices of atmospheric circulation, *Meteorological Applications*, 5:75-87.
- Kiely, G., J.D. Albertson, M.B. Parlange, and W.E. Eichinger, 1996, Scaling the average dissipation rate of temperature variance in the atmospheric surface layer, *Boundary Layer Meteorol.*, 77:267-284.
- Kirkham, D., R. R. Van der Ploeg, and R. Horton. 1997. Potential theory for dual-depth subsurface drainage of ponded land. *Water Resour. Res.* 33:1643-1654.
- Kiuchi, M., R. Horton, and T.C. Kaspar. 1994. Leaching characteristics of repacked soil columns as influenced by subsurface flow barriers. *Soil Sci. Soc. Am. J.* 58:12122-1218.
- Kiuchi, M., T. C. Kaspar, and R. Horton. 1996. Managing soil-water and chemical transport with subsurface flow barriers. *Soil Sci. Soc. Am. J.* 60: 880-887.
- Kjelgaard, J. F., C. O. Stockle, R. A. Black and G. S. Campbell. 1997. Measuring sap flow with the heat balance approach using constant and variable heat inputs. *Agric. For. Meteorol.* 85:239-250.
- Kjelgaard, J. F., C. O. Stopckle, J. M. Villar Mir, R. G. Evans, and G. S. Campbell. 1994. Evaluating methods to estimate corn evapotranspiration from short-time interval weather data. *ASAE Trans.* 37:1825-1833.
- Kluitenberg, G. J., K. L. Bristow, and B. S. Das. 1995. Error analysis of the heat pulse method for measuring soil heat capacity, diffusivity, and conductivity. *Soil Sci. Soc. Am. J.* 59:719-726.
- Knighton, R. E., S. Repala, and G. Padmanabhan. 1995. Simulation of pesticide leaching near the Buffalo River of Clay County, Minnesota. In proceeding of AWRA, June, 1995, Salt Lake City, UT.
- Knighton, R.E, S.A. Grant, D. Iverson and G. E. Boitnott. 1997. Effects of texture and total water content on liquid water content in frozen soils. In: Proc. International Symposium on Physics, Chemistry, and Ecology of Seasonally Frozen Soils. Fairbanks, Alaska, June 10-12, 1997.
- Knighton, R.E., D.D. Steele, N.E. Derby, and E.C. Stegman. 1997. Crop responses and leachate losses under best management practices. In: Proc. USCID Conference on Best Management Practices for Irrigated Agriculture and the Environment. Fargo, ND, July 16-19, 1997.
- Knighton, R.E., G.G. Mayer, W.L. Albus, and N.E. Derby. 1997. Nitrate stratification in irrigated sand plain groundwater systems. In: Proc. USCID Conference on Best Management Practices for Irrigated Agriculture and the Environment. Fargo, ND, July 16-19, 1997.
- Knighton, R.E., J. Sanchez and W. K. Perrizo. 1996. Data Mining Using the TM_Lab.: a Tool for Developing Precision Agriculture Strategies. In Proc. International Symposium on Optical Science, Engineering, and Instrumentation. 8-9 Aug., 1996, Denver, CO.
- Knighton, R.E., W.L. Albus, and N.E. Derby. 1997. Pesticide fate associated with irrigated corn production. In: Proc. USCID Conference on Best Management Practices for Irrigated Agriculture and the Environment. Fargo, ND, July 16-19, 1997.
- Kosugi, K., and J.W. Hopmans. 1998. Scaling water retention curves for soils with lognormal por size distribution. *Soil Sci. Soc. Amer. J.* In Press.
- Koumanov, K. S., J.W. Hopmans, L.J. Schwankl, L. Andreu, and A. Tuli. 1997. Application efficiency of micro-sprinkler irrigation of almond trees. *Agricult. Water Manage.* 34:247-263.
- Kravchenko, A., and R. Zhang, 1997. Estimation of soil water retention function from texture and structure data: fractal approach. In: M. M. Novak and T. G. Dewey (eds.), *Fractal Frontiers*. pp. 329-338, World Scientific, London.

- Kravchenko, A., and R. Zhang, 1997. Estimating the soil water retention from particle-size distributions: a fractal approach. *Soil Science* (in press).
- Kravchenko, A., and R. Zhang, 1998. Estimation of precipitation using geostatistical analysis with geographical and topographical information. *Hydrological Science and Technology* 13:11-23.
- Kravchenko, A., R. Zhang, and S. Gloss, 1997. Estimating the annual maximum precipitation using restricted kriging. Proceeding of *Seventeenth Annual American Geophysical Union, Hydrology Days*. pp. 192-202. Fort Collins, Colorado (best Ph.D. paper awarded by the American Geophysical Union).
- Kravchenko, A., R. Zhang, S. Gloss, and Y. Tung, 1997. Determination of precipitation spatial distributions for studying groundwater pollution. Proceedings of *Applied Research for Management of Wyoming's Water Resources*. pp. 210-213, Casper, WY.
- Kravchenko, A., R. Zhang, and Y. Tung, 1996. Estimation of mean annual precipitation in Wyoming using geostatistical analysis. Proceeding of *Sixteenth Annual American Geophysical Union, Hydrology Days*. pp. 271-282. Fort Collins, Colorado.
- Krzyszowska-Waitkus, A. J., R. D. Allen, G. F. Vance, R. Zhang, and D. E. Legg, 1998. A field lysimeter study to evaluate herbicide transport in a Wyoming irrigated pasture. *Communications in Soil Science and Plant Analysis* (in press).
- Kutilek, Miroslav, and D.R. Nielsen, 1994. *Soil Hydrology*. Catena-Verlag, Cremlingen-Destedt, Germany, pp. 370.
- Langner, H.W., J.M. Wraith, W.P. Inskeep, H.M. Gaber, and B. Huwe. 1998. Apparatus for constant-head solute transport and soil water characteristic determination. *Soil Sci. Soc. Am. J.* 62: (in press).
- Langner, H.W., W.P. Inskeep, H.M. Gaber, W.L. Jones, B.S. Das, and J.M. Wraith. 1998. Pore water velocity and residence time effects on the degradation of 2,4-D during transport. *Environ. Sci. Technol.* 32:1308-1315.
- Leij, F. J. and M. Th. van Genuchten. 1995. Approximate analytical solutions for solute transport in two-layer porous media. *Transport in Porous Media* 18(1):65-85.
- Leij, F. J. and N. Toride. 1995. Discrete time- and length-averaged solutions of the advection-dispersion equation. *Water Resources Research* 31(7):1713-1724.
- Leij, F. J., and M. Th. van Genuchten. 1999. Principles of solute transport. In: J. van Schilfgaarde and W. Skaggs (eds.), *Drainage in Agriculture*, Chapter 9, Agronomy Monograph, Am. Society of Agronomy, Madison, WI (in press).
- Leij, F. J., and M. Th. van Genuchten. 1999. Solute transport. In: M. Sumner (ed.), *Handbook of Soil Science*, CRC Press, Boca Raton, FL (in press).
- Leij, F. J., J. _imcnek, and M. Th. van Genuchten. 1999. Mathematical solutions of the convection-dispersion equation. In: J. van Schilfgaarde and W. Skaggs (eds.), *Drainage in Agriculture*, Chapter 10, Agronomy Monograph, Am. Society of Agronomy, Madison, WI (in press).
- Leij, F. J., M. Th. van Genuchten, S. A. Bradford, and L. M. Abriola. 1998. Analytical modeling of nonaqueous phase contamination and remediation. In: C. V. Chrysikopoulos, T. C. Harmon, and J. Bear (eds.), Proc. 1998 Symp., *Environmental Models and Experiments Envisioning Tomorrow (EnviroMEET '98)*. pp. 161-175, University of California, Irvine, CA.

- Leij, F. J., W. J. Alves, M. Th. van Genuchten and J. R. Williams. 1996. The UNSODA Unsaturated Soil Hydraulic Database; User's Manual, Version 1.0. *EPA/600/R-96/095*, National Risk Management Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, Cincinnati, OH. 103 p.
- Leij, F., and S. A. Bradford. 1994. 3DADE: A computer program for evaluating three-dimensional equilibrium solute transport in porous media. *Research Report No. 134*, U.S. Salinity Laboratory, USDA, ARS, Riverside, CA. 81 p.
- Leij, F.J. and N. Toride. 1996. N3DADE: A computer program for evaluating three-dimensional nonequilibrium solute transport in porous media. U.S. Salinity Laboratory, Research Report 143, Riverside, CA. 116 pp.
- Leij, F.J., W. B. Russell, and S.M. Lesch. 1997. Closed-form expressions for water retention and conductivity data. *Ground Water* 35(5):848-858.
- Lenhard, R. J., M. Oostrom, and M. D. White. 1995. Modeling Fluid Flow and Transport in Variably Saturated Porous Media with the STOMP Simulator. 2. Verification and Validation Exercises. *Adv. Water Resour.* 18:365-373.
- Li, Y., and M. Ghodrati. 1997. Preferential transport of solute through soil columns containing constructed macropores. *Soil Sci. Soc. Am. J.* 61:1308-1317.
- Link, S. O. N. R. Wing, and G. W. Gee. 1995. The Development of Permanent Isolation Barriers for Buried Wastes in Cold Deserts: Hanford Washington. *J. Arid Land Studies* 4:215-224.
- Link, S. O., W. J. Waugh, J. L. Downs, M. E. Thiede, J. C. Chatters, and G. W. Gee. 1994. Effects of topography and vegetation on soil water dynamics in a cold-desert ecosystem. *J. of Arid Environ.* 27:265-278.
- Liu, Y., J. Chen, J. W. Hopmans and M. E. Grismer. 1995. Parameter estimation in inverse modeling to characterize multi-phase fluid permeability functions. *International Union of Geodesy and Geophysics*, Boulder, CO, June, 1995.
- Liu, Y.P., J.W. Hopmans, M.E. Grismer, and J.Y. Chen. 1998. Direct estimation of air-oil and oil-water capillary pressure and permeability relations from multi-step outflow experiments. *J. Contaminant Hydrology* 32(3-4):223-245.
- Logsdon, S.D. and D.B. Jaynes. 1996. Spatial variability of hydraulic conductivity in a cultivated field at different times. *Soil Sci. Soc. Am. J.* 60:703-709.
- Logsdon, S.D. and Jaynes, D.B. 1996. Subsurface lateral transport in glacial till soils during a wet year. p. 237-238. In Ahuja, L.R. and Garrison, A. (ed.) Real world infiltration workshop. 22-25 July 1996. Pingree Park, CO. USDA-ARS.
- Long, T.C.S, C. Doughty, A. Aydin, B. Faybishenko, B. Freifeld, K. Grossenbacher, P. Holland, J. Horsman, J. Jacobsen, T. Johnson, K.H. Lee, J. Lore, K. Nihei, J. Pererson, R. Salve, J.B. Sisson, B. Thapa, D. Vasco, K. Williams, T. Wood, P. Zawislanski. 1995. Alanog Site for Fracture Rock Characterization. *Annual Report. LBL-38095/UC-600*. Oct. 1995.
- Low, P.F., J.H. Cushman and C.B. Roth. 1998. *The Physical Chemistry of Clay Colloids*. 400 p. (in press)
- Lu, T. X., J. W. Biggar and D. R. Nielsen. 1994. Water movement in glass bead porous media 1. Experiments of capillary rise and hysteresis. *Water Resour. Res.* 30(12): 3275-3281.

- Ma, Q. L., Ahuja, L. R., Rojas, K. W., Ferreira, V. F., and D. G. DeCoursey. 1995. Measured and RZWQM predicted atrazine dissipation and movement in a field soil. *Trans. ASAE* 38(2):471-479.
- Malek, E., G. E. Bingham, D. Or, and G. McCurdy. 1997. Annual mesoscale study of water balance in a great basin heterogeneous desert valley. *J. Hydrology* 191:223-244.
- Mallants, D. B. P. Mohanty, A. Vervoort, and J. Feyen. 1996. Spatial analysis of the saturated hydraulic conductivity in a soil with macropores. *Soil Techn.* 10:115-131.
- Mallants, D., B. P. Mohanty, D. Jacques, and J. Feyen. 1996. Spatial variability of hydraulic properties in a multi-layered soil profile. *Soil Sci.* 161:167-181.
- Mallants, D., D. Jacques, P.-H. Tseng, M. Th. van Genuchten, and J. Feyen. 1997. Comparison of three hydraulic property measurement methods. *J. Hydrol.* 199: 295-318.
- Mallants, D., M. VanClooster, N. Toride, J. Vanderborght, M. Th. van Genuchten, and J. Feyen. 1996. Comparison of three methods to calibrate TDR for monitoring solute movement in undisturbed soil. *Soil Sci. Soc. Am. J.*, 60(3):747-754.
- Mallawatantri, A. P., Mulla, D. J., and Ogram, A. V. 1994. Pesticide sorption and degradation in macropores and soil horizons. *Water Research Center Report No. 180*, State of Washington Water Research Center, Pullman, WA.
- Marion J., D. Or, D.E. Rolston, M.L. Kavvas, and J.W. Biggar. 1994. Evaluation of Methods for Determining Soil Water Retentivity and Unsaturated Hydraulic Conductivity. *Soil Sci.* 158:1-13.
- Mervosh, T. L., E. W. Stoller, F. W. Simmons, T. R. Ellsworth, and G. K. Sims. 1995. Effect of Starch Encapsulation on Clomazone and Atrazine Movement in Soil and Clomazone Volatilization. *Weed Sci.* 43: 445-453.
- Mervosh, T. L., G. K. Sims, E. W. Stoller, and T. R. Ellsworth, 1995. Nonequilibrium Clomazone Sorption in Soil: Effects of Incubation Time, Temperature, and Soil Moisture. *J. Agric. Food Chem.* 43: 2295-2300.
- Meyer, P. D., G. W. Gee, M. L. Rockhold, and M. Schaap. 1998. Characterization of soil hydraulic parameter uncertainty. In: Th M. van Genuchten ed. *Characterization and Measurement of the Hydraulic Properties of Unsaturated Porous Media*. University California Riverside Press (in press).
- Meyer, P. D., M. L. Rockhold, and G. W. Gee. 1997. Uncertainty Analysis of Infiltration and Subsurface Flow and Transport for SDMP Sites. *NUREG/CR-6565, PNL-11705*, U.S. Nuclear Regulatory Commission, Washington, D.C.
- Meyer, P. D., M. L. Rockhold, W. E. Nichols, and G. W. Gee. 1996. Hydrologic Evaluation Methodology for Estimating Water Movement Through the Unsaturated Zone at Commercial Low-Level Radioactive Waste Disposal Sites. *NUREG/CR-6346, PNL-10843*, U.S. Nuclear Regulatory Commission, Washington, D.C. (in press).
- Mikkelsen, D.S., Jayaweera, G.R., and Rolston, D.E. 1995. Nitrogen Fertilization Practices of Lowland Rice Culture. In: Bacon, P.E. (ed.), *Nitrogen Fertilization in the Environment.*, Marcel Dekker, Inc., New York, pp. 171-223.
- Miller, J.G., Jaynes, D.B., and Moorman, T.B. 1995. Prediction of atrazine persistence in a central Iowa field. p. 109-118. In Heatwole, C. (ed.) *Water Quality Modeling*. Proc. Int. Symp. on

- Water Quality Monitoring. 2-5 April 1995. Orlando, FL. ASAE, St. Joseph, MI.
- Mitchell, A. R., T. R. Ellsworth, and B. D. Meek. 1995. Effects of Root Systems on Preferential Flow in Swelling Soil. *Commun. Soil Sci. Plant Anal.* 26: 2655-2666.
- Mohanty, B. P., and M. Th. van Genuchten. 1996. An integrated approach to model water flow and solute transport in the vadose zone. In: D. L. Corwin and K. Loague (eds.), *Applications of GIS to the modeling of Non-Point Source Pollutants in the Vadose Zone*, pp. 219-236, Spec. Publ. 48, Soil Science Society of America, Madison, WI.
- Mohanty, B. P., Horton, R., and Ankeny, M. D. 1996. Infiltration and macroporosity under a row crop agricultural field in a glacial till soil. *Soil Sci.* 161:205-213.
- Mohanty, B. P., P. J. Shouse, and M. T. van Genuchten. 1998. Spatio-temporal dynamics of water and heat in a field soil. *Soil & Tillage Res.* 47:133-143.
- Mohanty, B. P., R. S. Bowman, J. M. H. Hendrickx and M. Th. van Genuchten. 1997. New piece-wise continuous hydraulic functions for modeling preferential flow in an intermittent flood-irrigated field. *Water Resour. Res.* 33(9):2049-2063.
- Mohanty, B. P., R. S. Bowman, J. M. H. Hendrickx, J. _imunek, and M. Th. van Genuchten. 1998. Preferential transport of nitrate to a tile drain in an intermittent-flood-irrigated field: Model development and experimental evaluation. *Water Resour. Res.* 34(5): 1061-1076.
- Mohanty, B.P., and R. S. Kanwar. 1997. A relative-flux-correction scheme for analyzing three-dimensional spatial data in the soil profile of a tile-drained agricultural plot. *J. Hydrol.*, 194: 107-125.
- Mohanty, B.P., M.D. Ankeny, R. Horton, and R.S. Kanwar. 1994. Spatial analysis of hydraulic conductivity measured using disc infiltrometers. *Water Resour. Res.* 30:2489-2498.
- Mohanty, B.P., T.H. Skaggs, and M. Th. van Genuchten, 1998. Impact of saturated hydraulic conductivity on the prediction of tile flow, *Soil Sci. Soc. Amer. J.*, In Press.
- Mohanty, B.P., W.M. Klittich, R. Horton, and M.Th. van Genuchten. 1995. Spatio-Temporal Variability of Soil Temperature Within Three Land Areas Exposed to Different Tillage. *Soil Science Society of America Journal.* 59:752-759.
- Moldrup, P. C.W. Kruse, T. Yamaguchi, and D.E. Rolston. 1996. Modeling diffusion and reaction in soils: 1. A diffusion and reaction corrected finite difference calculation scheme. *Soil Sci.* 161(6):347-354.
- Moldrup, P., T. Olesen, D.E. Rolston, and T. Yamaguchi. 1997. Modeling diffusion and reaction in soils: VII. Predicting gas and ion diffusivity in undisturbed and sieved soils. *Soil Sci.* 162:632-640.
- Moldrup, P., T. Yamaguchi, D.E. Rolston and J.Aa. Hansen. 1996. Predicting wetting front advance in soils using simple laboratory derived hydraulic parameters. *Wat. Res.* 30(6):1471-1477.
- Moldrup, P., T. Yamaguchi, D.E. Rolston, and J. Aa. Hansen. 1994. Estimation of the soil-water sorptivity from infiltration in vertical soil columns. *Soil Science.* 157:(1)12-18.
- Moldrup, P., T. Yamaguchi, D.E. Rolston, K. Vestergaard, and J. AA. Hansen. 1994. Removing numerically induced dispersion from finite difference models for solute and water transport in unsaturated soils. *Soil Sci.* 157:(3):153-161.
- Moldrup, P., T. Yamaguchi, T.G. Poulsen, D.E. Rolston and J.AA. Hansen. 1995. Response to the letter to the editor. *Soil Science*, Vol. 159(5):349-353.

- Moldrup, P., T.G. Poulsen, D.E. Rolston, T. Yamaguchi, and J. AA. Hansen. 1994. Integrated flux model for unsteady transport of trace organic chemicals in soils. *Soil Sci.* 157:(3):137-152.
- Moorman, T. B., Jaynes, D. B., Jayachandran, K., Novak, J. M., Miller, J., Cambardella, C. A. and Hatfield, J. L. 1995. Processes Controlling Atrazine Leaching in the Pothole Topography of Central Iowa, Vol. I, pp. 133-136. In: Proc. Clean Water-Clean Environment-21st Century, Kansas City, MO, March 508, 1995. *Am. Soc. Agric. Engrs.*, St. Joseph, MI. 186 pp.
- Moorman, T.B., Jaynes, D.B., Cambardella, C.A., and Hatfield, J.L. 1998. Atrazine and metribuzin in soils, subsurface drainage, and groundwater. Int. Congr. of Pesticide Chem. Abstr. p. 6D-004.
- Morel-Seytoux, H. J., P. D. Meyer, M. Nachabe, J. Touma, M. Th. van Genuchten, and R. J. Lenhard. 1996. Parameter equivalence for the Brooks-Corey and van Genuchten soil characteristic: Preserving the effective capillary drive, *Water Resour. Res.*, 32(5):1252-1258.
- Mukhopadhyay, S. and J.H. Cushman (1998) Diffusive transport of organic vapors in nonaqueous-phase liquid contaminated soil: A fractal model. *Trans. Por. Media* 30(2):125-154.
- Mukhopadhyay, S. and J.H. Cushman (1997) Monte Carlo simulation of radioactive contaminant transport in fractured geologic media: disorder and long-range correlations. In (W. Gray, ed.) *Scientific basis for nuclear waste management*. MRS Publ., Vol. 465, Boston, 885-892
- Mukhopadhyay, S. and J.H. Cushman (1998) Monte Carlo simulation of contaminant transport: II. Morphological disorder and percolation. *Trans. Por. Media* 31(2):183-211.
- Mukhopadhyay, S. and J.H. Cushman (1998) Monte Carlo simulations of contaminant transport: I. Long-range correlations in fracture conductivity. *Trans. Por. Media* 31(2):145-181.
- Murad, M. and J.H. Cushman (1997) A three scale model for consolidation of swelling clay soils. *Numerical Modeling in Geomechanics* (ed) S. Pictruszcak and G.N. Pan de Balkema Press. Rotterdam:117-122.
- Murad, M., L.S. Bennethum, J.H. Cushman (1995) A multi-scale theory of swelling porous media: I. Application to one-dimensional consolidation. *Transport in Porous Media* 19:93-122.
- Murad, M.A. and J.H. Cushman (1996) Multiscale flow and deformation in hydrophilic swelling porous media. *Int. J. Eng. Sci.* 34(3):313-338.
- Murad, M.A. and J.H. Cushman (1997) A multiscale theory of swelling porous media: II. Dual porosity models for consolidation of clays incorporating physical chemical effects. *Trans. Porous Media* 28(1):69-108.
- Murad, M.A. and J.H. Cushman (1997) New directions for modeling consolidation of swelling clay soils. *Trends in Soil Science* 2:1-35.
- Murad, M.A. and J.H. Cushman (1998) Thermomechanical theories for swelling porous media with microstructure. *Int. J. Eng. Sci.* (In Press).
- Nassar, I. N., and R. Horton. 1997. Heat and water transfer in compacted and layered soils. *J. Environ. Qual.* 26:81-88.
- Nassar, I. N., H. M. Shafey, and R. Horton. Heat, water and solute transfer in compacted soil beneath plastic cover. *Bull. Fac. Engr. Part 2*, Assiut University, Egypt, 22:61-75.
- Nassar, I. N., J. G. Benjamin, and R. Horton. 1996. Thermally induced water movement in uniform clay soil. *Soil Sci.* 161:471-479.

- Nassar, I.N., and Horton, R. 1997. Heat and water transfer in compacted and layered soils. *J. Environ. Qual.* 26:81-88.
- Nassar, I.N., and R. Horton. 1997. Heat, water, and solute transfer in unsaturated porous media: I. Theory development and transport coefficient evaluation. *Transp. Porous Media* 27:17-38.
- Nassar, I.N., H.M. Shafey, and R. Horton. 1997. Heat, water, and solute transfer in unsaturated porous media: II. Compacted soil beneath plastic cover. *Transp. Porous Media* 27:39-55.
- Nassar, I.N., R. Horton, and A.M. Globus. 1997. Thermally induced water transfer in salinized, unsaturated soil. *Soil Sci.Soc.Am J.* 61:1293-1299.
- Németh, T., E. Molnár, J. Csillag, A. Lukács, K. Bujtás, and M. Th. van Genuchten. 1994. Model experiments to assess the fate of heavy metals applied in sewage sludge to soils. In: D. C. Adriano, C. Zueng-Sang, and Y. Shang-Shyng (eds), Biogeochemistry of Trace Elements, Science and Technology Letters, *Environ. Geochem. Health*, Special Issue, Vol. 16, pp. 505-514.
- Nichols, W. D., and P. D. Meyer. 1996. "Multidimensional water flow in a low-level waste isolation barrier". *Ground Water* 34(4): 659-665.
- Nicholson, T. J., R. G. Hills, M. L. Rockhold, G. Wittmeyer, T. C. Rasmussen, A. Guzman. 1994. *Conclusions from INTRAVAL Working Group 1: Partially-Saturated Porous and Fractured Media Test Cases, Las Cruces Trench and Apache Leap Tuff Studies*. In GEOVAL-94, *Proceedings of the International Symposium on Validation Through Model Testing with Experiments*, October 11-14, Paris, France.
- Nielsen, D. R., O. Wendroth, and M. B. Parlange. 1995. The spatial structure of turbulence in the dynamic and dynamic-convective sublayers using wavelet transforms. *Boundary Layer Meteorology*: 75:81-108.
- Nielsen, D.R., J.W. Hopmans and K. Reichardt. 1998. An emerging technology for scaling field soil water behavior. In: *Scale Dependence and Scale Invariance in Hydrology* (G. Sposito, ed.). Cambridge University Press. pp. 136-166.
- Nielsen, D.R., J.W. Hopmans, M. Kutilek and O. Wendroth. 1997. A brief review of soil water, solute transport and regionalized variable analysis. *Sci. Agric., Piracicaba, 54 (Special number)*:89-115.
- Nielsen, D.R., M. Kutilek, and M.B. Parlange, 1996, Surface soil water content regimes: Issues and opportunities in soil science, *J. Hydrol.* 184:35-55.
- Nielsen, D.R., M. Kutilek, O. Wendroth, and J.W. Hopmans. 1997. Selected research opportunities in soil physics. *Sci. Agric., Piracicaba, 54 (Special number)*: 51-77.
- Nielsen, D.R., O. Wendroth and M.B. Parlange. 1994. Developing site-specific technologies for sustaining agriculture and our environment. In: G. Narayanasamy (ed) *Management of Land and Water Resources for Sustainable Agric. and Envir.*, Indian Soc. Soil Sci., New Delhi, 42-79.
- Nielsen, D.R., O. Wendroth, and M.B. Parlange, 1995, Opportunities for examining on-farm variability. In: *Site-Specific Management for Agricultural Systems*, ASA-CSSA-SSSA, Madison, WI, Chapter 9, 95-132.
- Nielsen, D.R., O. Wendroth, P. Jürschik, and J.W. Hopmans. 1997. Precision agriculture: Challenges and opportunities of instrumentation and field measurements. In: P. E. Crivinel, S. Crestana, L.

- M. Neto, L. A. Colnago, and L. H. C. Mattaso (eds.), *Simpósio Nacional de Instrumentação Agropecuária - SIAGRO*, EMBRAPA, CNPDIA. Brasília. 65-80.
- Novák, V., J. Ľutor, J. Majerčák, J. Ľimunek, and M. Th. van Genuchten. 1998. Soil water regime of the site Kralovská Lúka of the Zitn_ Ostrov area as affected by the Gab íkovo- uÁovo facility. *Acta Hydrologica Slovaca* 1/1998: 14-20.
- Novák, V., J. Ľutor, J. Majerčák, J. Ľimunek, and M. Th. van Genuchten. 1998. Modeling of Water and Solute Movement in the Unsaturated Zone of the Zitn_ Ostrov Region, South Slovakia. Institute of Hydrology, Slovak Academy of Sciences, Bratislava, Slovakia, 73 p.
- Or, D. 1995. Stochastic Analysis of Soil Water Monitoring for Drip Irrigation Management in Heterogeneous Soils. *Soil Sci. Soc. Am. J.* 59:1222-1233.
- Or, D. 1996. Drip Irrigation in Heterogeneous Soils: Steady State Field Experiments for Stochastic Model Evaluation. *Soil Sci. Soc. Am. J.* 60:1339-1349.
- Or, D. 1996. Wetting-Induced Soil Structural Changes: The Theory of Liquid Phase Sintering. *Water Resour. Res.* 32:3041-3049.
- Or, D. and E.F. Coelho. 1996. Soil Water Dynamics Under Drip Irrigation: Transient Flow and Uptake Models. *Trans. of ASAE* 39:2017-2025.
- Or, D. and H.R. Silva. 1996. Prediction of Surface Irrigation Advance Trajectories Using Soil Intake Properties. *Irrig. Sci.* 16: 159-167.
- Or, D. and U. Shani. 1996. Reply to comment on "In-situ Method for Estimating Subsurface Unsaturated/ Hydraulic Conductivity". *Water Resour. Res.* 32(6): 1897
- Or, D. and Wynn R. Walker. 1996. Effects of Spatially Variable Intake Properties on Surface Irrigation Advance. *J. Irrig. and Drain.* ASCE 122:1 22-130.
- Or, D., and D.P. Groeneveld. 1994. Stochastic Estimation of Plant-Available Soil Water Under Fluctuating Water Table Depths. *J. Hydrology* 163:43-64.
- Or, D., and J.M. Wraith. 1998. A new TDR-based matric potential sensor. p. 31. Proc. ISSS 16th World Congress of Soil Science (manuscript on CD), Aug. 20-26, 1998, Montpellier, France.
- Or, D., and J.M. Wraith. 1998. Temperature effects on time domain reflectometry measurement of soil bulk dielectric constant: A physical model. *Water Resour. Res.*
- Pan, L. and L. Wu, 1999. A hybrid global optimization method for inverse estimation of hydraulic parameters: Annealing-Simplex method. Proc. Int. Workshop: *Characterization and Measurement of the Hydraulic Properties of Unsaturated Porous Media.* (in press).
- Pan, L. and P. J. Wierenga. 1996 A technique for improving numerical modeling of 2-D water flow in variably saturated and heterogeneous porous media. *Soil Sci. Soc. Amer. J.* (in press).
- Pan, L. and P. J. Wierenga. 1995. A transformed pressure head-based approach to solve Richards= equation for variable saturated soils. *Water Resour. Res.* 31:925-931.
- Pan, L., A. W. Warrick and P. J. Wierenga. 1997. Downward water flow through sloping layers in the vadose zone: Time-dependence and effect of slope length. *J. of Hydrol.* 199:36-52.
- Parkin, G.W., A.W. Warrick, D. E. Elrick and R.G. Kachanoski. 1995. Analytical solution for one-dimensional drainage: Water stored in a fixed depth. *Water Resour. Res.* 31:1267-1271.
- Parlange, J.-Y, D.A. Barry, M.B. Parlange, W.L. Hogarth, R. Haverkamp, P.J. Ross, L. Ling and T.S. Steenhuis, 1997, A new analytical technique to solve Richards equation for arbitrary surface

- boundary conditions, *Water Resources Research*, 33(4): 903-906.
- Parlange, J.-Y, W.L. Hogarth, C. Fuentes, J. Sprintall, R. Haverkamp, D. Elrick, M.B. Parlange, R.D. Braddock, and D.A. Lockington. 1994. Interaction of wetting fronts with an impervious surface-longer time behavior, *Transport in Porous Media*, 17(3):249-256.
- Parlange, J.-Y, W.L. Hogarth, C. Fuentes, J. Sprintall, R. Haverkamp, D. Elrick, M.B. Parlange, R.D. Braddock, and D.A. Lockington. 1994. Superposition principle for short term-solutions of Richards' equation: Application to the interaction of wetting fronts with an impervious surface, *Transport in Porous Media*, 17(3):239-247.
- Parlange, J.-Y, W.L. Hogarth, M.B. Parlange, R. Haverkamp, D.A. Barry, P.J. Ross, and T.S. Steenhuis, 1998, Approximate analytical solutions to the nonlinear diffusion equations for arbitrary boundary conditions, *Transport in Porous Media*, 20(1):45-55.
- Parlange, J.-Y., D. A. Barry, M. B. Parlange, D. A. Lockington and R. Haverkamp. 1994. Sorptivity calculation for arbitrary diffusivity. *Transport in Porous Media*, 15(3):197-208.
- Parlange, J.-Y., D.A. Barry, M.B. Parlange, and D.A. Lockington. 1994. Sorptivity calculation for arbitrary diffusivity. *Transport in Porous Media*, 15(3):197-208.
- Parlange, M. B., and G. G. Katul. 1995. Watershed scale shear stress from tethered wind profile measurements under near neutral and unstable atmospheric stability. *Water Resources Research* 31(4): 961-968.
- Parlange, M. B., W. Eichinger and J. D. Albertson. 1995. Regional scale evaporation and the atmospheric boundary layer. *Reviews of Geophysics* 33(1): 99-124.
- Parlange, M.B. A.T. Cahill, D.R. Nielsen, J.W. Hopmans and O. Wendroth. 1998. Review of heat and water movement in field soils. *Soil & Tillage Research* 47(1-2) 5-10.
- Parlange, M.B. and J.W. Hopmans (Editors), 1999, *Vadose Zone Hydrology: Cutting across disciplines*, Oxford University Press (in press).
- Parlange, M.B., A.T. Cahill, D.R. Nielsen, J.W. Hopmans, O. Wendroth, 1998, Review of heat and water movement in field soils, *Soil and Tillage Research*, 47: 5-10.
- Parlange, M.B., J.D. Albertson, W.E. Eichinger, and A.T. Cahill, 1999, Evaporation: Use of fast response turbulence sensors, raman lidar and passive microwave remote sensing, in *Vadose Zone Hydrology: Cutting across disciplines* (Parlange and Hopmans, Ed.), Oxford University Press (in press).
- Parlange, M.B., W. Eichinger and J.D. Albertson. 1995. Regional scale evaporation and the atmospheric boundary layer, *Reviews of Geophysics*, 33(1): 99-124.
- Pearson, R.J., W.P. Inskeep, J.M. Wraith, S.D. Comfort, and H.M. Gaber. 1996. Observed and simulated solute transport under varying water regimes. I. Bromide and pentafluorobenzoic acid. *J. Environ. Qual.* 25:646-653.
- Pearson, R.J., W.P. Inskeep, J.M. Wraith, S.D. Comfort, and H.M. Gaber. 1996. Observed and simulated solute transport under varying water regimes. II. 2,6-difluorobenzoic acid and dicamba. *J. Environ. Qual.* 25:654-661.
- Petersen, L. W., P. Moldrup, O.H. Jacobsen and D.E. Rolston. 1996. Relations between specific surface area and soil physical and chemical properties. *Soil Science* 161(1):9-21.
- Petersen, L.W., A. Thompsen, P. Moldrup, O.H. Jacobsen and D.E. Rolston. 1995. High-resolution

- time domain reflectometry: sensitivity dependency on probe-design. *Soil Sci.* 159(3):149-154.
- Petersen, L.W., D.E. Rolston, P. Moldrup, and T. Yamaguchi. 1994. Volatile organic vapor diffusion and adsorption in soils. *J. Env. Qual.* 23:799-805.
- Petersen, L.W., P. Moldrup, Y.H. El-Farhan, O.H. Jacobsen, T. Yamaguchi, and D.E. Rolston. 1995. The effect of moisture and soil texture on the adsorption of organic vapors. *J. Environ. Qual.* 24:752-759.
- Petersen, L.W., Y.H. El-Farhan, P. Moldrup, D.E. Rolston, and T. Yamaguchi. 1996. Transient diffusion, adsorption and emission of volatile organic vapors in soils with fluctuating water contents. *J. Environ. Qual.* 25:1054-1063.
- Pinzon, J.E., C.E. Puente, M.B. Parlange, and W. Eichinger, 1995, A multifractal analysis of lidar measured water vapor. *Boundary Layer Meteorology* 76:323-347.
- Pohll, G.M., J. J. Warwick and S.W. Tyler. 1996. Coupled surface/subsurface hydrological model of a nuclear subsidence crater at the Nevada Test Site. *J. Hydrol.* 186(1/4): 43-53
- Poletika, N. and W.A. Jury. 1994. Effects of soil surface management on water flow distribution and solute dispersion. *Soil Sci. Soc. Amer. J.* 58:999-1006.
- Poletika, N., W. A. Jury, and M. V. Yates, 1995. Transport of bromide, simazine, and MS-2 coliphage in a lysimeter containing undisturbed, unsaturated soil. *Water Resour. Res.* 31:801-10.
- Porte-Agel, F., C. Meneveau and M.B. Parlange, 1998, Some basic properties of the surrogate subgrid-scale heat flux in the atmospheric boundary layer. *Boundary Layer Meteorology*, 88:425-444.
- Prunty, L. and R. Horton. 1994. Steady-state temperature distribution in nonisothermal, unsaturated closed soil columns. *Soil Sci. Soc. Am. J.* 58:1358-1363.
- Rahman, S., L. C. Munn, R. Zhang, and G. F. Vance, 1996. Rocky Mountain forest soils: evaluating spatial variability using conventional statistics and geostatistics. *Can. J. Soil Science* (in press).
- Rajkai, K., S. Kabos, M. Th. van Genuchten, and P.-E. Jansson. 1996. Estimation of water-retention characteristics from the bulk density of Swedish soils. *Soil Sci.* 161(12):832-845.
- Rasmussen, W.O. 1996. Stochastic Sketching of Infiltration-advance Isochrones. *J. of Stochastic Hydrology and Hydraulics* 10(3):209-229.
- Rasmussen, W.O., and M. Budhu. 1996. Electrode Placement for Subsurface Electric Field Generation. *ASCE J. of Environmental Engineering*, 122(8):764-768.
- Ray, C., C. W. Boast, T. R. Ellsworth, and A. I. Valocchi. 1996. Simulation of the impact of agricultural management practices on chemical transport in macroporous soils. *Trans. Am. Soc. of Agric. Engrs.* 39: 1697-1707
- Ray, C., T. R. Ellsworth, A. I. Valocchi, and C. W. Boast. 1997. An improved dual-porosity model for chemical transport in macroporous soils *J. of Hydrol.* (in press).
- Redulla, C. A., J. L. Havlin, G. J. Kluitenberg, M. D. Schrock, and N. Zhang. 1995. Variable nitrogen management: The importance of yield mapping. p. 117-119. In R. E Lamond (ed.) *Kansas Fertilizer Research 1994*. Kansas Agric. Exp. Stn. Report of Progress 719.
- Redulla, C. A., J. L. Havlin, G. J. Kluitenberg, M. D. Schrock, and N. Zhang. 1995. Spatially distributed nitrogen recommendations. p. 90-95. In *Agricultural production/environmental concerns: New paradigms. Proc. 1995 California Plant and Soil Conference*, Visalia, CA. January 10-11, 1995. Calif. Chapter of Am. Soc. of Agron. and Calif. Fert. Assoc.

- Ren, T., K. Noborio, and R. Horton. 1998. Measuring soil water content, electrical conductivity and thermal properties with a Thermo-TDR probe. *Soil Sci. Soc. Am. J.* 62:(in press).
- Ressler, D. E., J. L. Baker, T. C. Kaspar, R. Horton, and J. D. Green. 1995. Localized compaction and doming to increase N-use efficiency and reduce leaching. *Proc. Clean Water-Clean Environment-21st Century, Amer. Soc. Agric. Engr.*, pp. 215-218.
- Ressler, D. E., R. Horton, and G. J. Kluitenberg. 1998. Laboratory study of zonal management effects on preferential movement in soil. *Soil Sci.* 163:601-610.
- Ressler, D. E., R. Horton, J. L. Baker, and T. C. Kaspar. 1998. Evaluation of localized compaction and doming to reduce anion leaching losses using lysimeters. *J. Environ. Qual.* 27:910-916.
- Ressler, D. E., R. Horton, T. C. Kaspar, and J. L. Baker. 1998. Localized soil management in fertilizer injection zone to reduce nitrate leaching. *Agron. J.* 90:(in press).
- Ressler, D.E., R. Horton, J.L. Baker, and T.C. Kaspar. 1997. Testing a nitrogen fertilizer applicator designed to reduce leaching losses. *Applied Engineering in Agric.* 13:345-350.
- Rhoades, J.D., Lesch, S. M., and Jaynes, D.B. 1997. Geospatial measurements of soil electrical conductivity for prescription farming. In: Mulla, D (ed.) *Remote Sensing for Precision Farming*. ASA Special Publication (in press).
- Risler, P.D., J.M. Wraith, and H.M. Gaber. 1996. Solute transport under transient flow conditions estimated using time domain reflectometry. *Soil Sci. Soc. Am. J.* 60: 1297-1305.
- Rockhold, M. L., C. S. Simmons, and M. J. Fayer. 1997. An analytical solution technique for one-dimensional, steady vertical water flow in layered soils. *Water Resour. Res.*, 33:897-902.
- Rockhold, M. L., R. E. Rossi, R. G. Hills, and G. W. Gee. 1994. Similar media scaling and geostatistical analysis of soil hydraulic properties. pp. 1099-1130. In G. W. Gee and N. R. Wing (eds.). *In-Situ Remediation: Scientific Basis for Current and Future Technologies*. Thirty-Third Hanford Symposium on Health and the Environment. November 7-11, 1994. Pasco, Washington. Battelle Press, Columbus, Ohio.
- Rockhold, M. L., R. E. Rossi, R. G. Hills. 1996. "Application of Similar Media Scaling and Conditional Simulation for Modeling Water Flow and Tritium Transport at the Las Cruces Trench Site". *Water Resour. Res.*, 32 (31): 595-610).
- Rockhold, M. L., C. J. Murray, and M. J. Fayer. 1999. Conditional simulation and upscaling of soil hydraulic properties. In: Th M. van Genuchten ed. *Characterization and Measurement of the Hydraulic Properties of Unsaturated Porous Media*. University California Riverside Press. (in press).
- Rolston, D.E. 1994. Measuring and modeling gaseous losses of nitrogen. *Water Down Under '94*. pp 13-25. 25th Congress Intl. Assn. Hydrogeologists. Adelaide, Australia.
- Rolston, D.E., G.E. Fogg, D.L. Decker and D.T. Louie. 1994. Nitrogen isotope ratios of natural and anthropogenic nitrate in the subsurface. *Water Down Under '94*. 25th Congress Intl. Assn. Hydrogeologists. Adelaide, Australia.
- Rolston, D.E., G.E. Fogg, D.L. Decker, D.T. Louie and M.E. Grismer. 1996. Nitrogen isotope ratios identify nitrate contamination sources. *Calif. Agriculture*, 50(2):32-36.
- Schaap, M. G., and F. J. Leij. 1998. Database-related accuracy and uncertainty of pedotransfer functions. *Soil Sci.* 163(10):765-779.

- Schaap, M. G., and F. J. Leij. 1998. Using neural networks to predict soil water retention and soil hydraulic conductivity. *Soil & Tillage Research* 47:37-42.
- Schaap, M. G., F. J. Leij, and M. Th. van Genuchten. 1998. Neural network analysis for hierarchical prediction of soil hydraulic properties. *Soil Sci. Soc. Am. J.* 62(4):847-855.
- Schmugge, T.J., T.J. Jackson, P.E. O'Neill, and M.B. Parlange, 1998, Observations of coherent emissions from soils, *Radio Science*, 33(2):267-272.
- Schoen, M., D.J. Diestler, J.H. Cushman (1994) A grand isostress-ensemble Monte Carlo study of thin films under shear. *Berichte der Bunden-Gesellschaft für physikalische Chemie* 98, 454-457.
- Schoen, M., D.J. Diestler, J.H. Cushman (1994) Fluids in Micropores IV. The behavior of molecularly thin confined films in the Grand Isostress Ensemble. *J. Chem. Phys.* 100(10):7707-7717.
- Schoen, M., D.J. Diestler, J.H. Cushman (1994) Stratification-induced order-disorder phase transitions in molecularly thin confined films. *J. Chem. Phys.* 101(8):6865-6873.
- Schoen, M., J.H. Cushman, D.J. Diestler (1994) Anomalous Diffusion in Molecularly Thin Films. *Mol. Phys.* 81(2):475-490.
- Shani, U., and D. Or. 1995. In-situ Method for Estimating Subsurface Unsaturated Hydraulic Conductivity. *Water Resour. Res.* 31:1863-1870.
- Shao, M. and R. Horton. 1996. Soil water diffusivity determination by general similarity theory. *Soil Sci.* 161: 727-734.
- Shao, M., and R. Horton. 1997. Reply to Comments on "Soil water diffusivity determination by general similarity theory". *Soil Sci.* 162:769-770.
- Shao, M., and R. Horton. 1998. Integral method for estimating soil hydraulic properties. *Soil Sci. Soc. Am. J.* 62:585-592.
- Shao, M., R. Horton, and D. B. Jaynes. 1998. Analytical solution for one-dimensional heat conduction-convection equation. *Soil Sci. Soc. Am. J.* 62:123-128.
- Shao, M., R. Horton, and R. Miller. 1998. An approximate solution to the convection-dispersion equation of solute transport in soil. *Soil Sci.* 163:339-345.
- Sheets, K.R., J.P. Taylor, and J.H.M. Hendrickx. 1994. Rapid salinity mapping by electromagnetic induction for determining riparian restoration potential. *Restoration Ecology* 2:242-246.
- Shouse, P. J., W. B. Russell, D. S. Burden, H. M. Selim, J. B. Sisson, and M. Th. van Genuchten. 1995. Spatial variability of soil water retention functions in a silt loam soil. *Soil Sci.*, 159(1):1-12.
- Shouse, P.J., J. Letey, and T. O'Halloran. 1997. Salt transport in cracking soils: Bromide tracer study. *J. Irrig. and Drainage* 123(5):329-335.
- Sims, G. K., T. R. Ellsworth, and R. L. Mulvaney. 1995. Microscale Determinations of Inorganic N Species in Water and Soil Extracts. *Commun. Soil Sci. Plant Anal.* 26 (1&2): 303-316.
- _imunek, J., and D. L. Suarez. 1997. Sodic soil reclamation using multicomponent transport modeling. *J. Irrig. and Drainage* 123(5):367-376.
- _imunek, J., and M. Th. van Genuchten. 1995. Numerical model for simulating multiple solute transport in variably-saturated soils, *Proc. "Water Pollution III: Modelling, Measurement, and*

- Prediction*, Ed. L. C. Wrobel and P. Latinopoulos, *Computation Mechanics Publication*, Ashurst Lodge, Ashurst, Southampton, UK, pp. 21-30.
- _imunek, J., and M. Th. van Genuchten. 1996. Estimating unsaturated soil hydraulic properties from tension disc infiltrometer data by numerical inversion. *Water Resour. Res.*, 32(9):2683-2696.
- _imunek, J., and M. Th. van Genuchten. 1996. Using the HYDRUS-2D code for estimating unsaturated soil hydraulic properties. In: Model Care, Int. Conf. on *Calibration and Reliability in Groundwater Modelling*, Poster papers, pp. 263-272, Colorado School of Mines, Golden, CO.
- _imunek, J., and M. Th. van Genuchten. 1997. Estimating soil hydraulic properties from multiple tension disc infiltrometer data. *Soil Sci.* 162(6):383-398.
- _imunek, J., D. L. Suarez, and M. Sejna. 1996. The UNSATCHEM software package for simulating water, heat, and multicomponent solute transport Version 2.0, USSL Research Report No. 141, 186 p.
- _imunek, J., D. Wang, P. J. Shouse, and M. Th. van Genuchten. 1998. Analysis of a field tension disc infiltrometer data by parameter estimation. *Int. Agrophysics* 12:167-180.
- _imunek, J., D.L. Suarez, M. _ejna. 1995. An Interactive graphics-based user interface for the UNSATCHEM model, *Proc. Workshop on Computer Applications in Water Management*, Ed. L. Ahuja, J. Leppert, K. Rojas, and E. Seely, Colorado State University, Fort Collins, CO, 280-282, .
- Simunek, J., Huang, K. and van Genuchten, M. Th. 1996. The SWMS_3D code for simulating water flow and solute transport in three-dimensional variability saturated media. Version 1.2, *Res. Rep. No. 139*, U.S. Salinity Laboratory. 155 p.
- _imunek, J., K. Huang, and M. Th. van Genuchten. 1998. The HYDRUS code for simulating the one-dimensional movement of water, heat and multiple solutes in variably-saturated media. Version 6.0. *Research Report No. 144*, U.S. Salinity Laboratory, USDA, ARS, Riverside, CA., 164 p.
- _imunek, J., K. Huang, M. _ejna, and M. Th. van Genuchten. 1998. The HYDRUS-1D Software Package for Simulating the One-Dimensional Movement of Water, Heat and Multiple Solutes in Variably-Saturated Media. Version 1.0. *IGWMC-TPS-70*, Int. Ground Water Modeling Center, Colorado School of Mines, Golden, CO., 186 p.
- _imunek, J., K. Huang, M. _ejna, M. Th. van Genuchten, J. Majerčák, V. Novak, and J. _utor. 1997. *The HYDRUS-ET Software Package for Simulating the One-Dimensional Movement of Water, Heat and Multiple Solutes in Variably-Saturated Media*. Version 1.1. Institute of Hydrology, Slovak Academy of Sciences, Bratislava, Slovakia, 184 p.
- _imunek, J., M. Sejna, and M. Th. van Genuchten. 1996. HYDRUS-2D, simulating water flow and solute transport in variably-saturated media. *IGWMC - TPS 53*, Version 1.0, Int. Ground Water Modeling Center, Colorado School of Mines, Golden, CO., 167 p.
- _imunek, J., M. _ejna, and M. Th. van Genuchten. 1996. The HYDRUS-2D software package for simulating water flow and solute transport in two-dimensional variably saturated media. Version 1.0. *IGWMC - FOS*, International Ground Water Modeling Center, Colorado School of Mines, Golden, Colorado.

- _imunek, J., M. _ejna, M. Th. van Genuchten, D. L. Suarez. 1995. The SWMS_2D code with a user-friendly interface in a Windows environment, *Proc. Workshop on Computer Applications in Water Management*, Ed. L. Ahuja, J. Leppert, K. Rojas, and E. Seely, Colorado State University, Fort Collins, CO, 157-161.
- _imunek, J., M. _ejna, M. Th. van Genuchten. 1995. An Interactive graphics-based user interface for the SWMS_2D code, *Proc. Workshop on Computer Applications in Water Management*, Ed. L. Ahuja, J. Leppert, K. Rojas, and E. Seely, Colorado State University, Fort Collins, CO, 271-273.
- _imunek, J., M. Th. van Genuchten, and D. L. Suarez. 1995. Modeling multiple solute transport in variably-saturated soils. In: K. Kovar and J. Krásn_ (eds.), *Groundwater Quality: Remediation and Protection*, IAHS Publ. No. 255, pp. 311-318, Int. Assoc. Hydrol. Sci., Wallingford, UK.
- _imunek, J., M. Th. van Genuchten, M. M. Gribb, and J. W. Hopmans. 1998. Parameter estimation of unsaturated soil hydraulic properties from transient flow processes. *Soil & Tillage Res.* 47 (1-2):27-36.
- _imunek, J., O. Wendroth, and M. Th. van Genuchten. 1998. Parameter estimation analysis of the evaporation method for determining soil hydraulic properties. *Soil Sci. Soc. Am. J.* 62(4):894-905.
- _imunek, J., R. Angulo-Jaramillo, M. G. Schaap, J.-P. Vandervaere, and M. Th. van Genuchten. 1998. Using an inverse method to estimate the hydraulic properties of crusted soils from tension disc infiltrometer data. *Geoderma* 86(1-2):61-81.
- Singh, G., M. Th. van Genuchten, W. F. Spencer, M. M. Cliath, and S. R. Yates. 1996. Measured and predicted transport of two s-triazine herbicides through soil columns. *Water, Air and Soil Pollution*, 86(1-4):137-149.
- Sisson, J. B., T. K. Honeycutt and J. M. Hubbell. 1996. Method and apparatus for determining the hydraulic conductivity of earthen material. *Patent 5,520,248*, May 28, 1996.
- Sisson, J.B. and B. Faybishenko. 1995. Box Canyon Hot Air Injection Study and Vadose Zone Instrument Development Results. *INEL-95/0597*. Nov. 1995.
- Skaggs, T. H. and D. A. Barry. 1997. The first-order reliability method of predicting cumulative mass flux in heterogeneous porous formations. *Water Resour. Res.* 33(6):1485-1494.
- Skaggs, T.H., and B.P. Mohanty, 1998. Water table dynamics in tile-drained fields, *Soil Sci. Soc. Amer. J.*, 62(5), 1191-1196.
- Skaggs, T.H., and Z.J. Kabala, 1998. Limitations in recovering the history of a groundwater contaminant plume, *J. Contam. Hydrol.*, 33(3-4), 347-359.
- Skaggs, Todd H., Z. J. Kabala, and William A. Jury, 1998. Development of a nonparametric transfer function for solute transport in soils. *J. of Hydrol.* 207:170-178.
- Smits, R.G. and J.H. Cushman (1998) Application of sticky Brownian motion to microbial dynamics in porous media. 1. random walks. AICHE (Submitted).
- Smoot, I. L., and R. E. Williams. 1996. A Geostatistical Methodology to Assess the Accuracy of Unsaturated Flow Models. *NUREG/CR-641 I, PNL-10866*, U.S. Nuclear Regulatory Commission, Washington, D.C.

- Smoot, J. L., and A. H. Lu. 1994. Interpretation and modeling of a subsurface injection test, 200 east area, Hanford, Washington. pp. 1195-1214. In G. W. Gee and N. R. Wing (eds.). *In-Situ Remediation: Scientific Basis for Current and Future Technologies*. Thirty-Third Hanford Symposium on Health and the Environment. November 7-11, 1994. Pasco, Washington. Battelle Press, Columbus, Ohio.
- Somma, F., V. Clausniter and J.W. Hopmans. 1995. An algorithm for three-dimensional simultaneous modeling of root growth, transient water flow, and solute transport and uptake soil. LAWR Report 10031 University of California, Davis.
- Somma, F., V. Clausnitzer, and J.W. Hopmans. 1998. Modeling of transient three-dimensional soil water and solute transport with root growth and water and nutrient uptake. *Plant and Soil*. 202:281-293.
- Spurlock, F. C., K. Huang, and M. Th. van Genuchten. 1995. Isotherm nonlinearity and nonequilibrium sorption effects on transport of fenuron and monuron in soil columns. *Environ. Sci. Technol.*, 29(4): 1000-1007.
- Steele, D.D., E.C. Stegman and R.E. Knighton. Irrigation Management for Corn in the Northern Great Plains. *J. Prod. Ag.* (in press).
- Steele, D.D., R. E. Knighton and E.C. Stegman. 1996. Field-Scale Water Quality Under Continuous, Irrigated Corn Production in the Northern Great Plains. In ASAE International Meeting, July 14-18, 1996, *Paper No. 96-2020*, ASAE. St. Joseph, MI.
- Steele, D.D., R. E. Knighton, E.C. Stegman, and L.D. Prunty. 1996. Best Management Practices for Improved Irrigation and Fertilizer Nitrogen Use Efficiencies, *Final Report*. Dep. Ag. Eng. and Soil Sci., North Dakota State Univ., Fargo.
- Steele, D.D., R.E. Knighton, B. Mahoney, and E.C. Stegman. 1997. Modeling crop growth, water balance and nitrogen fate for irrigated corn. In: Proc. USCID Conference on *Best Management Practices for Irrigated Agriculture and the Environment*. Fargo, ND, July 16-19, 1997.
- Sternberg, S.P.K., J.H. Cushman, R.A. Greenkorn (1996) Laboratory observation of nonlocal dispersion. *Transport in Porous Media* 23(2):135-151.
- Sternberg, S.P.K., J.H. Cushman, R.A. Greenkorn (1996) Random walks in prefractal porous media. *AIChE* 42(4):921-926.
- Stockle, C. O., R. I. Papendick, K. E. Saxton, G. S. Campbell, and F. K. van Evert. 1994. A framework for evaluating the sustainability of agricultural production systems. *Am. J. Alternative Agric.* 9:45-50.
- Stockle, C. O., S. A. Martin, and G. S. Campbell. 1994. CropSyst, a cropping systems simulation model: water/nitrogen budgets and crop yield. *Agric. Systems* 46:335-359.
- Stork, A., W. Jury, and W. Frankenberger, 1999. Accelerated volatilization flux of selenium from different soils *J. Environ. Qual.* (in press)
- Streck, T., N. Poletika, W. Jury and W. Farmer, 1995. Description of simazine transport with rate-limited, two-step linear and nonlinear adsorption. *Water Resour. Res.* 31:811-22.
- Suarez, D. L., J. _imunek, M. _ejna. 1995. Using UNSATCHEM with user-friendly interface as a water management tool, *Proc. Workshop on Computer Applications in Water Management*, Ed.

- L. Ahuja, J. Leppert, K. Rojas, and E. Seely, Colorado State University, Fort Collins, CO, 162-166.
- Sullivan, M., J. J. Warwick and S.W. Tyler. 1996. Quantifying and delineating the spatial heterogeneities of surface infiltration in a small watershed. *J. Hydr.* 181(1/4): 149-168.
- Sumner, D.M., D.E. Rolston, and L.A. Bradner. 1998. Nutrient transport and transformation beneath an infiltration basin. *Water Environment Research*, 70(5):997-1004.
- Sumner, D.M., D.E. Rolston, and M.A. Mariño. 1999. Effects of unsaturated zone on ground-water mounding. *J. Hydrologic Engin.*, Vol. 4(1):65-69.
- Swan, J. B. and Jaynes, D. B. 1995. Measurement and Modeling Soil Water and Solute Movement in a Ridge-Till System, Vol. III, pp. 279-282. In: *Proc. Clean Water-Clean Environment-21st Century*, Kansas City, MO, March 5-8, 1995. *Am. Soc. Agric. Engrs.*, St. Joseph, MI.
- Szilagy, J., and M.B. Parlange, A geomorphology-based watershed model, *Advances in Water Resources* (in press).
- Szilagy, J., D.C. Rundquist, D.C. Gosselin, and M.B. Parlange, 1998, NDVI relationship to monthly evaporation, *Geophysical Research Letters*, 25(10):1753-1756.
- Szilagy, J. and M.B. Parlange, 1998, Baseflow separation based on analytical solutions of the Boussinesq equation, *J. Hydrology*, 204(N1-4):251-260.
- Szilagy, J., G.G. Katul, M.B. Parlange, J.D. Albertson, and A.T. Cahill, 1996, The local effect of intermittency on the inertial subrange energy spectrum of the atmospheric surface layer, *Boundary Layer Meteorology*, 79:35-50.
- Szilagy, J., M.B. Parlange, and J.D. Albertson, 1998, Recession flow analysis for aquifer parameter determination, *Water Resources Research*, 34:1851-1857.
- Szilagy, J., M.B. Parlange, G.G. Katul, J.D. Albertson and A.T. Cahill, An objective technique for determining principal time scales of coherent eddy structures using orthonormal wavelets. *Advances in Water Resources* (in press).
- Thompson, Shawn, Marylynn Yates, and William Jury, 1997. Role of the air-water-solid interface in bacteriophage sorption experiments. *Appl. Envir. Microbiol.* 64:304-309.
- Timlin, D.J., Ahuja, L.R. and Ankeny, M.D. 1994. A comparison of three methods to characterize apparent macropore conductivity. *Soil Sci. Soc. Am. J.* 58:278-284.
- Toride, N. and F. J. Leij. 1996. Convective-dispersive stream tube model for field-scale solute transport: II. examples and calibration. *Soil Sci. Soc. Am. J.* 60:352-361.
- Toride, N., and Leij, F.J. 1996. Convection-dispersive stream tube model for field-scale solute transport: I. moment analysis. *Soil Sci. Soc. Am. J.* 60:342-352.
- Toride, N., F. J. Leij, and M. Th. van Genuchten. 1994. Stochastic field-scale solute transport using a convective-dispersive stream-tube model. In: *Trans., 15th World Congress of Soil Science*, Acapulco, Mexico, July 10-16, 1994, Vol. 2b, pp. 153-154. Int. Soc. of Soil Science.
- Toride, N., F. J. Leij, and M. Th. van Genuchten. 1995. The CXTFIT code for estimating transport parameters from laboratory or field tracer experiments. Version 2.0. *Research Report No. 137*, U.S. Salinity Laboratory, USDA, ARS, Riverside, CA. 121 p.
- Tseng, P. and W. Jury, 1994. Comparison of deterministic and transfer function modeling of area-averaged solute transport in a heterogeneous random field. *Water Resour. Res.*

30:2051-2063.

- Tseng, P.-H., A. Sciortino, and M. Th. van Genuchten. 1995. A partitioned solution procedure for simulating water flow in a variably saturated dual-porosity medium. *Adv. Water Resour.*, 18(6):33-343.
- Tseng, P.-H., M. Th. van Genuchten, and W. A. Jury. 1995. Simulating the performance of a vacuum extraction device for measuring flux concentrations in field soils. In: B. J. Wagner, T. H. Illangasekare and K. Jensen (eds.), *Models for Assessing and Monitoring Groundwater Quality*, IAHS Publ. No. 227, pp. 133-140, Int. Assoc. Hydrol. Sci., Wallingford, United Kingdom.
- Tseng, Peng, and W. A. Jury 1997. Stochastic Solute Transport Modeling of Regional Non-point Source Pollution. Proc. AGU/SSSA Chapman Conference.
- Tyler, S. W., B. R. Scanlon, G. W. Gee, and G. B. Allison. 1998. Water and solute transport in arid vadose zones: innovations in measurement and analysis. In: M. B Parlange and J. W. Hopmans (eds.). *Vadose Zone Hydrology: Cutting Across Disciplines*. Oxford University Press. New York (in press).
- Tyler, S.W., J.B. Chapman, S. H. Conrad, D.P. Hammermeister, D.O. Blout, J. J. Miller, M.J. Sully and J. M. Ginanni. 1996. Soil water flux in the Great Basin, United States: Temporal and spatial variations over the last 120,000 years. *Water Resources Research*. 32(6): 1481-1499.
- Tyler, S.W., S. Kranz, M.B. Parlange, J. Albertson, G. Cochran, B. Lyles, G. Holder, 1997, Estimation of groundwater evaporation and salt flux from Owens dry lake, California, U.S.A., *J. Hydrology*, 200(N1-4):110-135.
- Ulery, A. L., J. A. Teed, M. Th. van Genuchten and M. C. Shannon. SALT_TOL_DB: A database of plant yield response to salinity. *Agron. J.* 90(4):556-562.
- van Evert, F. K. and G. S. Campbell. 1994. CropSyst: a collection of object-oriented simulation models of agricultural systems. *Agron. J.* 86:325-331.
- van Genuchten, M. Th. 1994. New issues and challenges in soil physics research. In: *Transactions, 15th World Congress of Soil Science*, Acapulco, Mexico, July 10-16, 1994, Vol. 1: Inaugural and State of the Art Conferences, pp. 5-27, Int. Soc. of Soil Science.
- van Genuchten, M. Th. 1995. Book review of M. Yavuz Corapcioglu (ed.), "Advances in Porous Media", Volume 2 (Elsevier, Amsterdam, 1994), *J. Hydrol.* 171:209-211.
- van Genuchten, M. Th., and E. A. Sudicky. Recent advances in vadose zone flow and transport modeling. In: *Proceedings, Vadose Zone Hydrology Workshop*, Davis, CA. (in press).
- van Genuchten, M. Th., and J. C. Parker. 1994. Reply to "Comments on 'Boundary conditions for displacement experiments through short laboratory soil columns' ". *Soil Sci. Soc. Am. J.*, 58(3):991-993.
- van Genuchten, M. Th., and J. Simunek. 1996. Evaluation of pollutant transport in the unsaturated zone. In: P. E. Rijtema and V. Eliá_ (eds.), *Regional Approaches to Water Pollution in the Environment*, pp. 139-172, Kluwer Academic Publ., Dordrecht, The Netherlands.
- van Genuchten, M. Th., D. L. Suarez, and M. C. Shannon. 1997. Modeling solute transport in salt-affected irrigated soils. In: Int. Conference on *Water Management, Salinity and Pollution Control Towards Sustainable Irrigation in the Mediterranean Region*, Vol. I, Keynote papers, pp. 181-200, Sept. 22-26, 1997, Instituto Agronomico Mediterraneo, Bari, Italy.

- Vaughan, P. J., J. Jimunek, D.L. Suarez, D. L. Corwin and J. D. Rhoades. 1995. Interfacing the Unsatchem model for water flow and multicomponent solute transport to a GIS for field-scale applications, In: *Applications of GIS to the modeling of non-point source pollutant in the vadose zone*, ASA-CSSA-SSSA Bouyoucos Conference, Riverside, CA.
- Vinson, J., P. J. Wierenga, R. G. Hills, and M. H. Young. 1997. Flow and transport at the Las Cruces Trench Site: Experiment IIb. U.S. Nuclear Regulatory Commission Report. *NUREG/CR-6437*.
- Vogel, T., K. Huang, R. Zhang, and M. Th. van Genuchten. 1996. The HYDRUS code for simulating water flow, solute transport, and heat movement in variably-saturated media. Version 5.0. *Research Report No. 140*, U.S. Salinity Laboratory, USDA, ARS, Riverside, CA. 131 p.
- Wang, D., S. R. Yates, B. Lowery, and M. Th. van Genuchten. 1998. Estimating soil hydraulic properties using tension infiltrometers with varying disk diameters. *Soil Sci.* 163(5): 356-361.
- Wang, D., S. R. Yates, F. F. Ernst, J. Gan, and W. A. Jury, 1997. Reducing methyl bromide emissions with a high barrier plastic film and reduced dosage. *Environ. Sci. Tech.* 31:3686-3691.
- Wang, D., S. R. Yates, J. Gan, and W. A. Jury, 1998. Temperature effect on methyl bromide volatilization: Permeability of plastic cover films. *J. Environ Qual.* 27:821-827.
- Wang, D., S. R. Yates, J. Jimunek, and M. Th. van Genuchten. 1997. Solute transport in simulated conductivity fields under different irrigations. *J. Irrig. Drain. Eng.* 123(5):336-343.
- Wang, Z., J. Feyen, D. R. Nielsen, and M. Th. van Genuchten. 1997. Two-phase flow infiltration accounting for air entrapment effects. *Water Resour. Res.* 33(12):2759-2767.
- Wang, Z., J. Feyen, M. Th. van Genuchten, and D. R. Nielsen. 1998. Air entrapment effects on infiltration rate and flow instability. *Water Resour. Res.* 34(2): 213-222.
- Ward, A. L., and G. W. Gee. 1997. Performance evaluation of a field-scale surface barrier. *J. Environ. Quality* 26(3):694-705.
- Ward, A. L., G. W. Gee, and M. D. White. 1997. A Comprehensive Analysis of Contaminant Transport in the Vadose Zone Beneath Tank SX-109. *PNNL-11463*. Pacific Northwest National Laboratory, Richland, Washington.
- Ward, A. L., G. W. Gee, and S.O. Link. 1997. Hanford Prototype-Barrier Status Report FY 1997. *PNNL-1789*. Pacific Northwest National Laboratory, Richland, Washington.
- Warrick, A. W., L. Pan and P. J. Wierenga. 1997. Downward water flow through sloping layers in the vadose zone: Steady-state analytical solutions. *J. Hydrol.* 192:321-337.
- Warrick, A.W. 1994. Soil water diffusivity estimates from one-dimensional absorption experiments. *Soil Sci. Soc. Am. J.* 58:72-77.
- Warrick, A.W. 1995. Correspondence of hydraulic functions for describing unsaturated soils. *Soil Sci. Soc. Amer. J.* 59:292-299.
- Warrick, A.W. and G. W. Parkin. 1995. Analytical solution for one-dimensional drainage: Burgers= and simplified forms. *Water Resour. Res.* 31:2891-2894.
- Warrick, A.W. L. Pan and P.J. Wierenga. 1996. Water flow in desert soils near buried waste repositories. *Vadose Zone Hydrology Conference*, Davis, Sept. 1995 (in press).
- Warrick, A.W., L. Pan, and P.J. Wierenga. 1997. Downward water flow through sloping layers in the vadose zone: Steady-state

- Warrick, A.W., M.H. Young and P.J. Wierenga. 1998. Probabilistic analysis of monitoring systems for detecting contaminant plumes.
- Warrick, A.W., P.J. Wierenga, M.H. Young and S.A. Musil. 1998. Diurnal fluctuations of tensiometric readings due to surface
- Waugh, W. J., M. E. Thiede, L. L. Cadwell, D. J. Bates, and G. W. Gee. 1994. Plant establishment and water storage in soil-gravel admixtures. *J. Environ. Quality* 23:676-685.
- Weier, K.L., D.E. Rolston, and P.J. Thorburn. 1998. The potential for N losses via denitrification beneath a green cane trash blanket. *Proc. Aust. Soc. Sugar Cane Technol.* 20:169-175.
- Welch, S. M., G. J. Kluitenberg, and K. L. Bristow. 1996. Rapid numerical estimation of soil thermal properties for a broad class of heat-pulse emitter geometries. *Measurement Science and Technology* 7:932-938.
- Wendroth, O., and D.R. Nielsen. 1997. Land surface processes - Sampling the landscape and analyzing and modeling spatio-temporal patterns. Proc. Int'l Workshop, June 13, 1995, Center for Agricultural Landscape and Land Use Res., *ZALF-Berichte No. 31*, Müncheberg, Germany.
- Wendroth, O., G. Kuhn, P. Jürschik, and D.R. Nielsen. 1997. State-space approach for site specific management decisions. In: Stafford, J.V. (ed.) *Precision Agriculture Proc. First European Conference on Precision Agriculture*, Warwick, UK. BIOS Scientific publishers, pp. 835-842.
- Wendroth, O., P. Jürschik, and D.R. Nielsen. 1996. Beiträge geostatistischer Methoden für die Planung und Auswertung teilflächenspezifischer Felduntersuchungen unter Praxisbedingungen. *VDI-Berichte 1297*: 171-175.
- Wessolik, G., R. Plagge, F. J. Leij, and M. Th. van Genuchten. 1994. Analysing problems in describing field and laboratory measured soil hydraulic properties. *Geoderma*, 64:93-110.
- Westcott, M. P. and J. M. Wraith. 1995. Correlation of leaf chlorophyll readings and stem nitrate concentrations in peppermint. *Commun. Soil Sci. Plant Nutr. Anal.* 26:1481-1490.
- Westcott, M.P., M.L. Knox, and J.M. Wraith. 1994. Kinetics of soil-plant nitrate relations in potato and peppermint: a model for derivative diagnosis. *Commun. Soil Sci. Plant Nutr. Anal.* 25:469-478.
- White, M. D., M. Oostrom, and R. J. Lenhard. 1995. Modeling Fluid Flow and Transport in Variably Saturated Porous Media with the STOMP Simulator. 1. Nonvolatile Three-Phase Model Description. *Adv. Water Resour.* 18:353-364.
- Wierenga, P. J. 1995. Water and solute transport and storage. In Wilson et al. *Vadose Zone Characterization*. Lewis Publishers. (in press).
- Wierenga, P. J., R. G. Hills, A. W. Warrick and T. C. Yeh. 1994. Controlled field study for validation of vadose zone transport models. NUREG/CR-6120, U. S. Nuclear Regulatory Commission, Washington, D.C.
- Wierenga, P.J. 1996. Physical processes affecting contaminant fate and transport in soil and water. In *Pollution Science*, Academic
- Wierenga, P.J. and M.L. Brusseau. 1995. Water and contaminant transport in the vadose zone. In *Environmental Hydrology* (V.P. Singh ed.) Kluwer Academic Publishers. (in press).
- Williams, R.D. and Ahuja, L.R. 1994. Using available water content with the one-parameter model to estimate soil water retention. *Soil Sci.* 156:380-388.

- Wilson, J. P., J. M. Wraith, J. P. Wilson, R. D. Snyder, R. E. Macur, and H. M. Gaber. 1996. Input parameter and model resolution effects on solute transport predictions. *J. Environ. Qual.* (in press).
- Wilson, J.P., W.P. Inskeep, J.M. Wraith, and R.D. Snyder. 1996. GIS-based solute transport modeling applications: scale effects and estimation methods. *J. Environ. Qual.* 25:445-453.
- Wing, N. R., and G. W. Gee. 1994. The development of surface barriers at the hanford site. pp. 427-440. In G. W. Gee and N. R. Wing (eds.). *In-Situ Remediation: Scientific Basis for Current and Future Technologies*. Thirty-Third Hanford Symposium on Health and the Environment. November 7-11, 1994. Pasco, Washington. Battelle Press, Columbus, Ohio.
- Wing, N. R., and G. W. Gee. 1994. Quest for the perfect cap. *Civil Engineering* 64(10):38-41.
- Wraith, J. M., J. M. Baker, and T., K. Blake. 1995. Water uptake resumption following soil drought: a comparison among four barley genotypes. *J. Exp. Bot.* 46:873-880.
- Wraith, J.M. and C.K. Wright. 1998. Soil water and root growth. *HortSci.* 33:951-959 (invited).
- Wraith, J.M., and A.H. Ferguson. 1994. Soil temperature limitation to water use by field grown winter wheat. *Agron. J.* 86: (in press)
- Wraith, J.M., and B.S. Das. 1998. Monitoring soil water and ionic solute distributions using time-domain reflectometry. *Soil Tillage Research, Special Issue: State of the art in soil physics and in soil technology of anthropic soils.* 47:145-150.
- Wraith, J.M., and D. Or. 1999. Temperature effects on soil bulk dielectric permittivity measured by time domain reflectometry: experimental evidence and hypothesis development. *Water Resour. Res.* (in press).
- Wraith, J.M., J.M. Baker, and T.K. Blake. 1996. Barley genotypes vary in the ability to rapidly resume water uptake after drought. *Montana Ag. Research* 12(2):13-18.
- Wraith, Jon M., and Dani Or. 1998. Nonlinear parameter estimation using spreadsheet software. *J. Nat. Resour. Life Sci. Educ.* 27:13-19.
- Wu, J., and R. Zhang, 1994. Analysis of rainfall-infiltration recharge to groundwater. In: *Proceeding of Fourteenth Annual American Geophysical Union, Hydrology Days.* pp 420-430. Fort Collins, Colorado.
- Wu, J., R. Zhang, and J. Yang, 1997. Estimating the process of infiltration recharge using a response function model. *J. Hydrol.* 198:124-139.
- Wu, J., R. Zhang, and J. Yang. 1995. Estimating groundwater recharge processes using a transfer function model. *Proceedings of Fifteenth Annual American Geophysical Union, Hydrology Days.* pp. 353-364. Fort Collins, Colorado.
- Wu, J., R. Zhang, and J. Yang. 1996. Analysis of rainfall-recharge relationships. *J. Hydrol.* 177:143-166.
- Wu, J., S. Gui, P. Stahl, and R. Zhang, 1997. Experimental study on the Reduction of hydraulic conductivity by enhanced biomass growth. *Soil Sci.* 162:741-748.
- Wu, L. and L. Pan. 1997. A generalized solution to infiltration from single-ring infiltrometers by scaling. *Soil Sci. Soc. Am. J.* 1318-1322.
- Wu, L. L. Pan, M. J. Roberson, and P. Shouse. 1997. Numerical evaluation of ring-infiltrometers under various soil conditions. *Soil Sci.* 162: (in press).

- Wu, L., R.R. Allmaras, D. Gimenez, and D.M. Huggins. 1997. Shrinkage and water retention characteristic in a fine-textured Mollisol compacted under different axle loads. *Soil & Tillage Res.* (in press).
- Wu, L., W. Jury, A. C. Chang, and R. R. Allmaris, 1997. Time-series analysis of water content variations in a field soil. *Soil Sci Soc Amer. J.* 61: 736-742.
- Wu, Q. J. and Workman, S. R., 1999. Stochastic simulation of pesticide transport in heterogeneous unsaturated field. *J. Environ. Qual.*, 28 (in press).
- Xu, X., R. Zhang, X. Xue, and M. Zhao, 1998. Determination of evapotranspiration in the desert area using lysimeters. *Communications in Soil Science and Plant Analysis* 29:1-13.
- Xue, X., R. Zhang, and S. Gui, 1998. A simple model for vertical ponding infiltration. Proceeding of Eighteenth Annual American Geophysical Union, Hydrology Days. pp. 131-140. Fort Collins, CO.
- Yamaguchi, T., P. Moldrup, D.E. Rolston, and L. W. Petersen. 1994. A semi-analytical solution for one-dimensional solute transport in soils. *Soil Sci.* 158:14-21.
- Yamaguchi, T., P. Moldrup, D.E. Rolston, S. Ito and S. Teranishi. 1996. Nitrification in porous media during rapid, unsaturated water flow. *Water Res.* 30(3):531-540.
- Yamaguchi, T., P. Moldrup, P., K. Vestergaard, D.E. Rolston and J.A.A. Hansen. 1995. Response to the letter to the editor. *Soil Science*, 160(6):444-448.
- Yamaguchi, T., P. Moldrup, S. Ito, D.E. Rolston, S. Teranishi. 1994. Nitrogen removal from wastewater by rapid infiltration land treatment - An evaluation based on soil column studies. In: *Nutrient Removal From Wastewaters*. Nigal J. Horan (ed.), Technomic Publishing Company, Inc., Lancaster, Pennsylvania, pp. 39-46.
- Yang, J. R. Zhang, and J. Wu, 1996. An analytical solution of macrodispersivity for adsorbing solute transport in unsaturated soils. *Water Resources Research* 32:355-362.
- Yang, J. R. Zhang, J. Wu, and M. B. Allen. 1996. Stochastic analysis of adsorbing solute transport in two-dimensional unsaturated soils. *Water Resources Research* 32:2747-2756.
- Yang, J., R. Zhang, J. Wu, and M. B. Allen, 1997. Stochastic analysis of adsorbing solute transport in three-dimensional, heterogeneous, unsaturated soils. *Water Resources Research* 33:1947-1956.
- Yang, J., R. Zhang, J. Wu, and M. B. Allen. 1995. Stochastic simulations of adsorbing solute transport through unsaturated soil. Proceedings of *Fifteenth Annual American Geophysical Union, Hydrology Days*. pp. 365-376. Fort Collins, CO.
- Yang, J., Z. Ye, and R. Zhang, 1994. Field experiment and stochastic analysis of solute transport in an unsaturated soil. In: *Proceeding of Fourteenth Annual American Geophysical Union, Hydrology Days*. pp 431-442. Fort Collins, CO.
- Yates, M. V., and W. A. Jury, 1995. Determining regulatory compliance with a virus transport model. *J. Environ. Qual.* 24:1051-1055.
- Young, M. H., J. B. Fleming, P. J. Wierenga, and A. W. Warrick. 1997. Rapid laboratory calibration of time-domain reflectometry probes using upward infiltration. *Soil Sci. Soc. Am. J.* 61:707-712.

- Young, M. H., P. J. Wierenga, and C. F. Mancino. 1997. Monitoring near-surface soil water storage in turfgrass using time domain reflectometry and weighing lysimetry. *Soil Sci. Soc. Amer. J.* 61:1138-1147.
- Young, M.H., P.J. Wierenga and C.A. Mancino. 1996. Large weighing lysimeters for water use and solute transport studies. *Soil Sci.*
- Young, M.H., P.J. Wierenga, A.W. Warrick, L.L. Hofmann, and S.A. Musil. 1996. Field testing plan for unsaturated zone monitoring and
- Young, M.H., P.J. Wierenga, A.W. Warrick, L.L. Hofmann, and S.A. Musil. 1999. Variability of wetting front velocities during a field-scale
- Yu, Chunming, A. W. Warrick, M. H. Conklin, M. H. Young, and M. Zreda. 1997. Two- and three parameter calibrations of time domain reflectometry for soil moisture measurement. *Water Resour. Res.* 33:2417-2421.
- Zhang, B., N. Zhang, M. D. Shrock, J. L. Havlin, and G. J. Kluitenberg. 1994. Development of a field-scale GIS database for spatially-variable nitrogen management. *ASAE Paper No. 94-3550*. American Society of Agricultural Engineers. December, 1994, Atlanta, GA
- Zhang, R. 1995. Prediction of solute transport using a transfer model and the convection-dispersion equation. *Soil Sci.* 160:18-27.
- Zhang, R., J. Yang, and Z. Ye, 1996. Solute transport through the vadose zone: field studies and stochastic analyses. *Soil Sci.* 161:270-277.
- Zhang, R., 1994. The transfer function for solute transport. In: *Proceeding of Fourteenth Annual American Geophysical Union, Hydrology Days*. pp 443-454. Fort Collins, CO.
- Zhang, R., 1997. Determination of soil sorptivity and hydraulic conductivity from the disc infiltrometer. *Soil Sci. Soc. Am. J.* 61:1024-1030.
- Zhang, R., 1997. Infiltration models for the disc infiltrometer. *Soil Sci. Soc. Am. J.* 61:1597-1603.
- Zhang, R., 1997. Scale-dependent soil hydraulic conductivity. In M. M. Novak and T. G. Dewey (eds.), *Fractal Frontiers*. pp. 383-392, World Scientific, London.
- Zhang, R., 1998. Estimating soil hydraulic conductivity and macroscopic capillary length from the disc infiltrometer. *Soil Sci. Soc. Am. J.* (in press).
- Zhang, R., A. J. Krzyszowska, G. F. Vance, and R. D. Allen. 1995. Modeling pesticide transport under field conditions. *Proceedings of Workshop on Computer Applications in Water Management*. pp. 199-202. Fort Collins, CO.
- Zhang, R., A. Kravechenko, and Y. Tung. 1995. Spatial and temporal distributions of precipitation in Wyoming. *Proceedings of Fifteenth Annual American Geophysical Union, Hydrology Days*. pp. 377-388. Fort Collins, CO.
- Zhang, R., A. W. Warrick, and D. E. Myers. 1994. Heterogeneity, plot shape effect and optimum plot size. *Geoderma*, 62:183-197.
- Zhang, R., and J. Yang. 1996. Iterative solution of a stochastic differential equation: an efficient method for simulating soil variability. *Geoderma* 72:75-88.
- Zhang, R., and J. Yang. 1998. Determination of soil hydraulic properties for vadose zone hydrology. *Hydrological Science and Technology* 13:87-95.

- Zhang, R., and M. Th. van Genuchten. 1994. New models for unsaturated soil hydraulic properties. *Soil Sci.* 158(2): 77-85.
- Zhang, R., J. D. Hamerlinck, S. P. Gloss, and L. Munn. 1996. Determination of non-point source pollution using GIS and numerical models. *J. Env. Qual.* 25:411-418.
- Zhang, R., P. Shouse, and S. Yates. 1997. Use of pseudo-crossvariograms and cokriging to improve estimates of soil solute concentrations. *Soil Sci. Soc. Am. J.* 61:1342-1347.
- Zhang, R., P. Shouse, and S. Yates. 1998. Estimates of soil nitrate distributions using cokriging with pseudo-crossvariograms. *J. Env. Qual.* (in press).
- Zhang, R., P. Shouse, S. Yates, and A. Kravchenko. 1997. Applications of geostatistics in soil science. *Trends in Soil Science* 2:95-104.
- Zhang, R., S. Rahman, G. F. Vance, and L. C. Munn. 1995. Geostatistical analyses of trace elements in soils and plants. *Soil Sci.* 159:383-390.